Index to Volume 20

Author Index

ADAMS, R.; SPECHT, N. and WOODWARD, I: Labeling of erythrocytes *in vitro* with radioiodine-tagged *l*-triiodothyronine as an index of thyroid function: an improved hematocrit correction, 1366

ADAMSONS, H., *see* CURRIE, A. R., 947

ALBERT, A., and DERNER, I.: Contamination of gonadotropin standards (Letter to the Editor), 1411

—— Studies on the biologic characterization of human gonadotropins. IV. Comparison with two new preparations of HPG from the urine of postmenopausal women, 858

—— Studies on the biologic characterization of human gonadotropins. V. Comparison with sheep luteinzing hormone, 1059

—— Studies on the biologic characterization of human gonadotropins. VI. Nature and number of gonadotropins in human pregnancy urine, 1225

ALFHEIM, A., *see* HOBKIRK, R., 805

ALVAREZ, A. S., *see* GABRILOVE, J. L., 825

AMATRUDA, T. T., JR.; HOLLINGSWORTH, D. R.; D'ESOPO, N. D.; UPTON, G. V., and BONDY, P. K.: A study of the mechanism of the steroid withdrawal syndrome. Evidenee for integrity of the hypothalamic-pituitary-adrenal system, 339

ANDRADA, J. A., *see* DE LA BALZE, F. A., 266, 286

APOSTOLAKIS, M., and LORAINE, J. A.: Renal clearance of pituitary gonadotropins in postmenopausal women, 1437

ARAI, Y., *see* HLAD, C. J., JR., 1120

ARRILLAGA, F., *see* DE LA BALZE, F. A., 266, 286

ASSALI, N. S.; DIGMAN, W. J., and LONGO, L., with the technical assistance of ROSS, M., and FRIEDMAN, L.: Renal function in human pregnancy. III. Effects of antidiuretic hormone (ADH) on renal hemodynamics and water and electrolyte excretion near term and post partum, 581

AXELROD, L. R., and GOLDZIEHER, J. W.: The metabolism of 17α-hydroxyprogesterone and its relation to congenital adrenal hyperplasia, 238

BAHN, R. C., *see* PARIS, J., 57

BAILEY, R. E.; SLADE, C. I.; LIEBERMAN, A. H., and LUETSCHER, J. A., JR.: Steroid production by human adrenal adenomata and nontumorous adrenal tissue *in vitro*, 457

BALZE, F. A. DE LA, *see* DE LA BALZE, F. A.

BARR, R. W.: Acute diabetic episode with remission; report of a case, 473

BARRETT, O., JR.; BERMAN, A., and MAIER, J. G.: Uptake of I^{131}-*l*-triiodothyronine in various erythrocyte abnormalities, 1467

BARTTER, F. C., *see* GOLDSMITH, R. S., 1168

——, *see* MILLS, I. H., 515

BAULD, W. S., *see* GIVNER, M. L., 665

BAULIEU, E.-E.: Three sulfate esters of 17-ketosteroids in the plasma of normal subjects and after administration of ACTH (Letter to the Editor), 900

BEAHRS, O. H., *see* WOOLNER, L. B., 89

BECK, J. C., *see* DYRENFURTH, I., 735, 751, 765

BEIERWALTES, W. H., *see* FLOYD, J. C., JR., 881

BELSKY, J. L., *see* BLEIFER, K. H., 409

BENUA, R., *see* LEEPER, R. D., 1457

——, *see* PAZIANOS, A. G., 1051

BERGENSTAL, D. M., and LIPSETT, M. B.: Metabolic effects of human growth hormone and growth hormone of other species in man, 1427

BERMAN, A., *see* BARRETT, O., JR., 1467

BIRD, R., and FARRAN, H. E. A.: A sensitive method for the detection of iodinated compounds in human plasma, and its applications in the study of thyrotoxicosis, 81

BIRKE, G.; DICZFALUSY, E., and PLANTIN, L.-O.: Assessment of the functional capacity of the adrenal cortex. II. Clinical application of the ACTH test, 593

BLACK, B. M.; KIRK, T. A., JR., and WOOLNER, L. B.: Multicentricity of papillary adenocarcinoma of the thyroid: influence on treatment, 130

BLACK, R. L., *see* PETERSON, R. E., 495

BLAHEY, P. R., *see* HOBKIRK, R., 805

BLAIR, A. J., *see* DYRENFURTH, I., 735

BLEIFER, K. H.; BELSKY, J. L.; SAXON, L., and PAPPER, S.: The diuretic response to administered water in patients with primary myxedema, 409

BLOCH, E., *see* ROSEMBERG, E., 214

BLOCK, R. J., *see* WERNER, S. C., 205

BLOOM, B. R., *see* UNGAR, F., 1191

BLOOMER, H. A.; PAPADOPOULOS, N. M., and MCLANE, J. E.: Cerebrospinal fluid gamma globulin concentration in myxedema, 869

BOGDONOFF, M. D.; ESTES, E. H.; HARLAN, W. R.; TROUT, D. L., and KIRSHNER, N.: Metabolic and cardiovascular changes during a state of acute central nervous system arousal, 1333

BONDY, P. K., *see* AMATRUDA, T. T., JR., 339
BORECKEY, D. C., *see* DANOWSKI, T. S., 1521
BREM, J., *see* ROSEMBERG, E., 214
BRENER, J. L., *see* LEEPER, R. D., 1457
BUCHWALD, K. W., *see* SLAUNWHITE, W. R., JR., 786
BUDNITZ, E., *see* ROSEMBERG, E., 214
BURLEY, J., *see* COLLE, E., 1215
——, ULSTROM, R. A., 1066, 1080
BUTLER, L. C., *see* WILSON, H., 534
BUTLER, P., *see* ROSEMBERG, E., 214
BUTLER, W. W. S., III, *see* WILLIAMS, G. A., 622

CARBONELL, L., *see* PIMENTEL-MALAUSSENA, E., 1037
CARNES, W. H., *see* PERKOFF, G. T., 1269
CARR, E. A., JR., *see* FLOYD, J. C., JR., 881
CARTER, A. C., and FELDMAN, E. B., with the technical assistance of SCHWARTZ, H. L.: Levels of serum protein-bound iodine in patients with metastatic carcinoma of the breast (Letter to the Editor), 477
——, *see* FELDMAN, E. B., 842
CARVALHO, E., *see* DEGROOT, L. J., 21
CASSIDY, C. E.: The duration of increased serum iodine concentration after ingestion of bunamiodyl (Orabilex) (Letter to the Editor), 1034
CATT, B., *see* ODDIE, T. H., 389, 1146
CERVIÑO, J. M., *see* RAVERA, J. J., 876
CHANG, E.; SLAUNWHITE, W. R., JR., and SANDBERG, A. A.: Biliary and urinary metabolites of 4-C^{14}-progesterone in human subjects, 1568
CHARNOCK, J. S., *see* HETZEL, B. S., 556
——, *see* WELLBY, M. L., 1384
CHAVARRIA, C.; MUÑOS-FERREIRA, G.; GUEVARA, G.; RUPP, J. J., and PASCHKIS, K. E.: Butanol-insoluble iodinated compound in the plasma of a goitrous cretin, 894
CHEN, P. S., JR., *see* MILLS, I. H., 515
——, *see* PETERSON, R. E., 495
CHESKY, V. E.; HELLWIG, C. A., and WELCH, J. W.: Solid large-cell carcinoma of the thyroid, 1280
CHILDS, D. S., JR., *see* OWEN, C. A., JR., 187
CHOUFOER, J. C.; KASSENAAR, A. A. H., and QUERIDO, A.: The syndrome of congenital hypothyroidism with defective dehalogenation of iodotyrosines. Further observations and a discussion of the pathophysiology, 983
CHRISTY, N. P.: Joseph W. Jailer obituary, 1635
CHU, E. H. Y.; GRUMBACH, M. M., and MORISHIMA, A.: Karotypic analysis of a male pseudohermaphrodite with the syndrome of feminizing testes, 1608
CHURG, J., *see* GABRILOVE, J. L., 825
CLARK, E. C., *see* RANDALL, R. V., 1614
CLARK, M. L., and JOHNSON, P. C.: Amenorrhea and elevated level of serum cholesterol produced by a trifluoromethylated phenothiazine (SKF 5354-A), 641
COLLE, E.; ULSTROM, R. A.; BURLEY, J., and GUNVILLE, R.: Adrenocortical steroid metabolism in newborn infants. III. Urinary excretion of 17-hydroxycorticosteroids following major surgery and stimulation with adrenocorticotropin, 1215
——, *see* ULSTROM, R. A., 1066, 1080
COOK, S., *see* GOLD, E. M., 315
COPPAGE, W. S., JR., and LIDDLE, G. W.: Metabolic studies with a steroid isolated from the urine of patients with "salt-losing" congenital adrenal hyperplasia 729
CRISPELL, K. R., *see* WILLIAMS, G. A., 622
CROCKETT, C. L., *see* WILLIAMS, G. A., 622
CUNINGHAM, K., *see* MARTIN, L., 529
CURRENT, J. V.; HALES, I. B., and DOBYNS, B. M.: The effect of 2,3-dimercaptopropanol (BAL) on thyroid function, 13
CURRIE, A. R.; ADAMSONS, H., and VAN DYKE, H. B.: Vasopressin and oxytocin in the pituitary of man, 947

DANOWSKI, T. S.; MATEER, F. M.; WEIGLE, W. O.; BORECKY, D. C., and MOSES, C.: Thyroditis following administration of thyroid-stimulating hormone, 1521
DAVIDSON, O. W., *see* DE LA BLAZA, F. A., 266, 286
DAVIGNON, J.; TREMBLAY, G., and GENEST, J.: Failure to isolate cortisol from a pheochromocytoma, 1515
DEGOLIA, R. C., *see* MOSIER, H. D., 1296
DEGROOT, L. J., and CARVALHO, E.: Studies on proteins of normal and diseased thyroid glands, 21
DE LA BALZE, F. A.; MANCINI, R. A.; ARRILLAGA, F.; ANDRADA, J. A.; VILAR, O.; GURTMAN, A. I. and DAVIDSON, O. W.: Histologic study of the undescended human testis during puberty, 286
——; MANCINI, R. A.; ARIILLAGA, F.; ANDRADA, J. A.; VILAR, O.; GURTMAN, A. I., and DAVIDSON, O. W.: Puberal maturation of the normal human testis: a histologic study, 266
DEMETRIOU, J. A., *see* KUSHINSKY, S., 719
DER KINDEREN, P. J.; HOUTSTRA-LANZ, M., and SCHWARZ, F.: Exophthalmos-producing substance in human serum, 712
DERNER, I., *see* ALBERT, A., 858, 1059, 1225, 1411
D'ESOPO, N. D., *see* AMATRUDA, T. T., JR., 339
DICZFALUSY, E., and MAGNUSSON, A.-M.: Estriol in blood (Letter to the Editor), 1633
——, *see* BIRKE, G., 593
DIGNAM, W. J., *see* ASSALI, N. S., 581
DOBYNS, B. M., *see* CURRENT, J. V., 13
——, *see* HALES, I. B., 68
DODGE, H. W., JR., *see* RANDALL, R. V., 1614
DODSON, V. N., *see* FLOYD, J. C., JR., 881
DOE, R. P.; VENNES, J. A., and FLINK, E. B., with technical assistance of ENGST, R.; JOHNSON, P., and LEWIS, M.: Diurnal variation of 17-hydroxycorticosteroids, sodium, potassium, magnesium and creatinine in normal subjects and in cases of treated adrenal insufficiency and Cushing's syndrome, 253
——; ZINNEMAN, H. H.; FLINK, E. B., and ULSTROM, R. A., with the technical assistance of ENGST, R.; LEWIS, M., and JOHNSON, J.: Significance of the concentration of non-protein-bound plasma cortisol in normal sub-

jects, Cushing's syndrome, pregnancy, and during estrogen therapy, 1484
——, *see* HENKE, W. J., 1527
DONNELL, G. N., *see* LITMAN, N. N., 862
DORFMAN, R. I., *see* UNGAR, F., 1191
DOWLING, J. T.; INGBAR, S. H., and FREINKEL, N.: Iodine metabolism in hydatidiform mole and choriocarcinoma, 1
DUFAULT, F. X., JR., *see* ROSEMBERG, E., 214
DUGGER, G. S., *see* VAN WYK, J. J., 157
DUMONT, J. E.: Carbohydrate metabolism in the thyroid gland, 1246
DYRENFURTH, I.; BECK, J. C., and VENNING, E. H.: Studies in patients with adrenocortical hyperfunction. II. Corticosteroid excretion patterns, 751
——; BLAIR, A. J.; BECK, J. C., and VENNING, E. H.; Studies in patients with adrenocortical hyperfunction. I. The effect of corticotropin on levels of corticosteroids, 17-ketosteroids and aldosterone, 735
——; LUCIS, O. J.; BECK, J. C., and VENNING, E. H.: Studies in patients with adrenocortical hyperfunction. III. *In vitro* secretion of steroids by human adrenal glands, 765

EIK-NES, K., *see* NUGENT, C. A., 1259
——, *see* PERKOFF, G. T., 1269
ELRICK, H., *see* HLAD, C. J., JR., 1120
ENGEL, I., *see* ROSEMBERG, E., 1576
ENGST, R., *see* DOE, R. P., 253, 1484
ENGSTROM, W. W., and STODDARD, F. J.: Gonadal dysgenesis: ovaries in association with chromatin-negative pattern in somatic cells, 780
ESTES, E. H., *see* BOGDONOFF, M. D., 1333
EZRIN, C., *see* SWANSON, H. E., 952

FARRAN, H. E. A., *see* BIRD, R., 81
FARRELL, G. L., *see* GARST, J. B., 1351
FELDMAN, E. B., and CARTER, A. C., with the technical assistance of KOSSA, J. L.; MCCARRICK, J. F., and SCHWARTZ, H. L.: Endocrinologic and metabolic effects of 17α-methyl-19-nortestosterone in women, 842
——, *see* CARTER, A. C., 477
FERNÁNDEZ, G., *see* RAVERA, J. J., 876
FERRARI FORCADE, A., see RAVERA, J. J., 876
FITTING, W.: Serum concentration and thyroidal uptake rate of stable iodide in various states of thyroid function, 569
FITZSIMONS, E., *see* THOMAS, I. D., 1392
FLINK, E. B., *see* DOE, R. P., 253, 1484
FLOYD, J. C., JR.; BEIERWALTES, W. H.; DODSON, V. N., and CARR, E. A., JR.: Defective iodination of tyrosine a cause of nodular goiter?, 881
FLYNN, P. J., *see* MOSIER, H. D., 632
FRAWLEY, T. F., *see* KISTLER, H., 1158
FREEDBERG, A. S., *see* KURLAND, G. S., 35
FREINKEL, N., *see* DOWLING, J. T., 1
FRIEDMAN, L., *see* ASSALI, N. S., 581
FUKUSHIMA, D. K.; GALLAGHER, T. F.; GREENBERG, W., and PEARSON, O. H.: Studies with an adrenal inhibitor in adrenal carcinoma, 1234

GABRILOVE, J. L.; ALVAREZ, A. S., and CHURG, J.: Generalized and localized (pretibial) myxedema: effect of thyroid analogues and adrenal glucocorticoids, 825
——, *see* KREIGER, D. T., 1493
GALLAGHER, T. F., *see* FUKUSHIMA, D. K., 1234
GARDNER, L. I., *see* GREENBERG, R. E., 1207
GARST, J. B.; SHUMWAY, N. P.; SCHWARTZ, H., and FARRELL, G. L.: Aldosterone excretion in essential hypertension, 1351
GENEST, J., *see* DAVIGNON, J., 1515
——, *see* NOWACZYNSKI, W., 1503
GERSHBERG, H.: Metabolic and renotropic effects of human growth hormone in disease, 1107
GIVNER, M. L.; BAULD, W. S.; HALE, T. R.; VAGI, K., and NILSEN, M.: The effect of corticotropin, chorionic gonadotropin and testosterone propionate on urinary estradiol-17β, estrone and estriol of human subjects with previous myocardial infarction, 665
GOLD, E. M.; SERENA, B., and COOK, S.: The combined estimation of cortisol and 11-desoxycortisol in plasma as Porter-Silber chromogens, 315
GOLDBERG, M.: The occurrence and treatment of hypothyroidism among alcoholics, 609
GOLDNER, M. G., *see* WEISENFELD, S., 700
GOLDSMITH, R. S.; MERONEY, W. H., and BARTTER, F. C.: Prominent peripheral edema associated with primary aldosteronism due to an adrenocortical adenoma, 1168
GOLDZIEHER, J. W., and LAITIN, H.: Evaluation of the pituitary-adrenal axis in simple hirsutism, 967
——, *see* AXELROD, L. R., 238
GOOD, B. F., *see* HETZEL, B. S., 556
——, *see* WELLBY, M. L., 1384
GOODHART, D., *see* SIMKIN, B., 1095
GRAHAM, J. B., *see* GREENBERG, B. G., 364
GREEN, G. M., *see* ODELL, W. D., 1017
GREEN, O. C.; MIGEON, C. J., and WILKINS, L.: Urinary steroids in the hypertensive form of congenital adrenal hyperplasia, 929
GREENBERG, B. G.; WINTERS, R. W., and GRAHAM, J. B.: The normal range of serum inorganic phosphorus and its utility as a discriminant in the diagnosis of congenital hypophosphatemia, 364
GREENBERG, R. E., and GARDNER, L. I.: The excretion of free catecholamines by newborn infants, 1207
GREENBERG, W., *see* FUKUSHIMA, D. K., 1234
GREENE, J. W., JR., *see* TOUCHSTONE, J. C., 647
GRUBER, U. F., *see* SMITH, L. L., 919
GRUMBACH, M. M., *see* CHU, E. H. Y., 1608
GUEVARA, G., *see* CHAVARRIA, C., 894
GUNVILLE, R., *see* COLLE, E., 1215
——, *see* ULSTROM, R. A., 1066, 1080
GURTMAN, A. I., *see* DE LA BALZE, F. A., 266, 286

HALE, T. R., *see* GIVNER, M. L., 665
HALES, I., and DOBYNS, B. M.: The metabolism of triiodothyronine in Graves' disease, 68
——, *see* CURRENT, J. V., 13
——, *see* ODDIE, T. H., 1146

——, *see* THOMAS, I. D., 1392
HALTIWANGER, E., *see* WARD, J. A., 1622
HAMILTON, J. B.: Effect of castration in adolescent and young adult males upon further changes in the proportions of bare and hairy scalp, 1309
HARDEN, A. B., *see* MITCHELL, M. L., 1474
HARLAN, W. R., *see* BOGDONOFF, M D., 1333
HAUGEN, H. N., and LÖKEN, A. C.: Carcinoma of the hypophysis associated with Cushing's syndrome and Addisonian pigmentation, 173
HECHT, A., and RUSKIN, H.: Seminiferous tubule dysgenesis (Klinefelter's syndrome) associated with familial cerebellar ataxia, 1184
HELLER, H. M., *see* WISENBAUGH, P. E., 792
HELLWIG, C. A., *see* CHESKY, V. E., 1280
HENKE, W. J.; DOE, R. P., and JACOBSON, M. E.: A test of pituitary reserve utilizing intravenous SU-4885, with a new method for extraction of 11-desoxycorticosteroids (Letter to the Editor), 1527
HETZEL, B. S.; CHARNOCK, J. S., and GOOD, B. F.: A comparison of the early metabolic effects of triiodothyronine and thyrotropic hormone in man, 556
——, *see* WELLBY, M. L., 1384
HLAD, C. J., JR., and ELRICK, H., with the technical assistance of ARAI, Y.: Further studies of the kinetics of glucose utilization. II. Diabetic patients, 1120
HOBKIRK, R.; BLAHEY, P. R.; ALFHEIM, A.; RAESIDE, J. I., and JORON, G. E.: Urinary estrogen excretion in normal and diabetic pregnancy, 805
HOLLINGSWORTH, D. R., see AMATRUDA, T. T., JR., 339
HOLUB, D. A.; WALLACE, E. Z., and JAILER, J. W.: Adrenocorticotropin (ACTH) reserve in man following prolonged ACTH therapy (Letter to the Editor), 1294
HORTLING, H.; PUUPPONEN, E , and KOSKI, K:. Short metacarpal or metatarsal bones: pseudo-pseudohypoparathyroidism, 466
HOUTSTRA-LANZ, M., *see* DER KINDEREN, P. J., 712
HUBER, N., *see* VOLPÉ, R., 415
HYDOVITZ, J. D., and ROSE, E.: Iodide goiter (Letter to the Editor), 1526

INGBAR, S. H., *see* DOWLING, J. T., 1
ISHII, J., *see* SHIZUME, K., 1416
IZAKOVIČ, V.: Gonadal dysgenesis in two sisters with male nuclear sex pattern and female characteristics in polymorphonuclear leukocytes (Letter to the Editor), 1301

JACOBSON, M. E., *see* HENKE, W. J., 1527
JAILER, J. W., *see* HOLUB, D. A., 1294
JOHNSON, J., *see* DOE, R. P., 1484
JOHNSON, P., *see* DOE, R. P., 253
JOHNSON, P. C., *see* CLARK, M. L., 641
JOHNSTON, M. W., *see* VOLPÉ, R., 415
JORON, G. E., *see* HOBKIRK, R., 805

KAALSTAD, A. J., *see* SMITH, L. L., 919
KALLMAN, B., and STARR, P.: The effects of epinephrine on thyroxine metabolism: chromatographic studies of serum and tissue extracts, 436
KAPPAS, A., and RATKOVITS, B.: Species specificity of steroid-induced fever (Letter to the Editor), 898
KASSENAAR, A. A. H., *see* CHOUFOER, J. C., 983
KEATING, F. R., JR., *see* WOOLNER, L. B., 89
KENT, H. S., *see* NUGENT, C. A., 1259
KIRK, T. A., JR., *see* BLACK, B. M., 130
KIRSHNER, N., *see* BOGDONOFF, M. D., 1333
KISTLER, H., and FRAWLEY, T. F.: Effects of a spirolactone (SC-8109) in primary mineralocorticoid excess, 1158
KLOTZ, H. P.: The syndrome of nonfunctional ovaries, genital infantilism and negative chromatin pattern (Letter to the Editor), 327
KOIW, E., *see* NOWACZYNSKI, W., 1503
KORNEL, L.: Renal clearance of endogenous 17-hydroxycorticosteroids in hypertension, 1445
KOSKI, K., *see* HORTLING, H., 466
KOSSA, J. L., *see* FELDMAN, E. B., 842
KRANTZ, S., *see* WARD, J. A., 1622
KRIEGER, D. T., GABRILOVE, J. L., and SOFFER, L. J.: Adrenal function in a pregnant bilaterally adrenalectomized woman, 1493
KROTKOV, M. V., *see* KURLAND, G. S., 35
KURLAND, G. S.; KROTKOV, M. V., and FREEDBERG, A. S.: Oxygen consumption and thyroxine deiodination by human leukocytes, 35
KUSHINSKY, S.; DEMETRIOU, J. A.; WU, J., and NASUTAVICUS, W.: Analysis of urinary metabolites of estradiol-4-C^{14}. I. In human mammary carcinoma, 719

LAITIN, H., *see* GOLDZIEHER, J. W., 967
LANDAU, R. L.; PLOTZ, E. J., and LUGIBIHL, K.: Effect of pregnancy on the metabolic influence of administered progesterone, 1561
LANMAN, H., *see* REYNOLDS, T. B., 1136
LANTHIER, A.: Urinary 17-ketosteroids in the syndrome of polycystic ovaries and hyperthecosis, 1587
LAWSON, J. D., *see* WEISSBEIN, A. S., 429
LEEPER, R. D.; BENUA, R. S.; BRENER, J. L., and RAWSON, R. W.: Hyperuricemia in myxedema, 1457
LEMMON, M. L , *see* WOOLNER, L. B., 89
LEVIN, M. E.: "Metabolic insufficiency": a double-blind study using triiodothyronine, thyroxine and a placebo: psychometric evaluation of the hypometabolic patient, 106
LEWIS, M., *see* DOE, R. P., 253, 1484
LIDDLE, G. W.: Tests of pituitary-adrenal suppressibility in the diagnosis of Cushing's syndrome, 1539
——, *see* COPPAGE, W. S., JR., 729
LIEBERMAN, A. H., and LUETSCHER, J. A.: Some effects of abnormalities of pituitary, adrenal or thyroid function on excretion of aldosterone and the response to corticotropin or sodium deprivation, 1004
——, *see* BAILEY, R. E., 457

LIPSETT, M. B., and RITER, B.: Urinary ketosteroids and pregnanetriol in hirsutism, 180
——, *see* BERGENSTAL, D. M., 1427
——, *see* WILSON, H., 534
LITMAN, N. N., and DONNELL, G. N.: Treatment of congenital adrenal hyperplasia with concentrated hydrocortisone acetate, 862
LÖKEN, A. C., *see* HAUGEN, H. N., 173
LONGO, L., *see* ASSALI, N. S., 581
LORAINE, J. A., *see* APOSTOLAKIS, M., 1437
LOVE, J. G., *see* RANDALL, R. V., 1614
LUCIS, O. J., *see* DYRENFURTH, I., 765
LUETSCHER, J. A., *see* BAILEY, R. E., 457
——, *see* LIEBERMAN, A. H., 1004
LUGIBIHL, K., *see* LANDAU, R. L., 1561

MAGGIOLO, J., *see* RAVERA, J. J., 876
MAGNUSSON, A.-M., *see* DICZFALUSY, E., 1633
MAIER, J. G., *see* BARRETT, O., JR., 1467
MALOSETTI, H., *see* RAVERA, J. J., 876
MANCINI, R. A., *see* DE LA BALZE, F. A., 266, 286
MANDL, R. H., *see* WERNER, S. C., 205
MARDEN, B. M., *see* WOOLNER, L. B., 89
MARGRAF, H. W., *see* WEICHSELBAUM, T. E., 1341
MARTIN, L., and CUNINGHAM, K.: Suppression of pituitary gonadotropins by 17-ethynyl-19-nortestosterone in patients with metastatic carcinoma of the breast, 529
MATEER, F. M., *see* DANOWSKI, T. S., 1521
MATSUDA, K., *see* SHIZUME, K., 1416
MAZZIOTTA-MIRABAL, R., *see* PIMENTEL-MALAUSSENA, E., 1037
MCCARRICK, J. F., *see* FELDMAN, E. B., 842
MCCONAHEY, W. M., *see* PARIS, J., 57
——, *see* OWEN, C. A., JR., 187
MCCORMACK, K., *see* SHELINE, G. E., 1401
MCCULLAGH, E. P.; REYNOLDS, C. W., and MCKENZIE, J. M.: Hyperthyroidism after section of the pituitary stalk for malignant exophthalmos: report of a case, 1029
——; ROSENBERG, H. S., and NORMAN, N.: Tumor of the tuber cinereum with precocious puberty: case report with hormone assays, 1286
MCKENZIE, B. F., *see* OWEN, C. A., JR., 187
MCKENZIE, J. M.: Further evidence for a thyroid activator in hyperthyroidism, 380
——, *see* MCCULLAGH, E. P., 1029
MCLANE, J. E., *see* BLOOMER, H. A., 869
MEADE, R. C.: Possible errors in the determination of red blood cell uptake of I^{131}-triiodothyronine (Letter to the Editor), 480
MENDELOFF, J., *see* WARD, J. A., 1622
MERONEY, W. H., *see* GOLDSMITH, R. S., 1168
MIGEON, C. J., *see* GREEN, O. C., 929
——, *see* STEMPFEL, R. S., JR., 814
MILLS, I. H.; SCHEDL, H. P.; CHEN, P. S., JR., and BARTTER, F. C.: The effect of estrogen administration on the metabolism and protein binding of hydrocortisone, 515
MITCHELL, M. L.: Abnormal insulin-binding fraction demonstrated by the electrophoresis on ion-exchange paper of sera from diabetic patients, 1319
——; HARDEN, A. B., and O'ROURKE, M. E.: The *in vitro* resin sponge uptake of triiodothyronine-I^{131} from serum in thyroid disease and in pregnancy, 1474
——, and O'ROURKE, M. E.: Response of the thyroid gland to thiocyanate and thyrotropin, 47
MOORE, F. D., *see* SMITH, L. L., 919
MORISHIMA, A., *see* CHU, E. H. Y., 1608
MOSES, C., *see* DANOWSKI, T. S., 1521
MOSIER, H. D., and DEGOLIA, R. C.: Effect of prolonged administration of thyroid hormone on thyroid gland function of euthyroid children (Letter to the Editor), 1296
——; FLYNN, P. J.; WILL, D. W., and TURNER, R. D.: Cushing's syndrome with multinodular adrenal glands, 632
MUÑOS-FERREIRA, G., *see* CHAVARRIA, C., 894
MUSSIO FOURNIER, J. C., *see* RAVERA, J. J., 876
MUXI, F., *see* RAVERA, J. J., 876
MYHILL, J., *see* ODDIE, T. H., 389
——, *see* THOMAS, I. D., 1392, 1601

NAGATAKI, S., *see* SHIZUME, K., 1416
NAMIOT, R., *see* RONAN, F. F., 355
NASUTAVICUS, W., *see* KUSHINSKY, S., 719
NEWSOME, J. F., *see* VAN WYK, J. J., 157
NILSEN, M., *see* GIVNER, M. L., 665
NOGUCHI, A., *see* YAMAZAKI, E., 794, 889
NOKES, G., *see* PETERSON, R. E., 495
NORMAN, N., *see* MCCULLAGH, E. P., 1286
NOWACZYNSKI, W.; KOIW, E., and GENEST, J.: Method for determination of urinary 5β-pregnane-3α,17α,20α-triol and Δ^5-pregnene-3β,17α,20α,20α-triol, 1503
NUGENT, C. A.; EIK-NES, K.; KENT, H. S.; SAMUELS, L. T., and TYLER, F. H.: A possible explanation for Cushing's syndrome associated with adrenal hyperplasia, 1259
NUMEROFF, M., *see* SLATER, S., 401

ODDIE, T. H.; RUNDLE, F. F.; THOMAS, I. D. HALES, I., and CATT, B.: Quantitative observations with the thyroxine suppression test of thyroid function, 1146
——; THOMAS, I. D.; RUNDLE, F. F.; MYHILL, J., and CATT, B.: Diagnostic limits for thyroidal radioiodine uptake rates, 389
——, *see* THOMAS, I. D., 1392, 1601
ODELL, W. D.; GREEN, G. M., and WILLIAMS, R. H.: Hypoadrenotropism: the isolated deficiency of adrenotropic hormone, 1017
OETTLÉ, A. G.; RABINOWITZ, D., and SEFTEL, H. C.: The Lawrence-Moon syndrome with germinal aplasia of the testis: report of a case and review, 683
O'ROURKE, M. E., *see* MITCHELL, M. L., 47, 1474
OWEN, C. A., JR.; MCCONAHEY, W. M.; CHILDS, D. S., JR., and MCKENZIE, B. F.: Serum "thyroglobulin" in thyroidal carcinoma, 187
——, *see* PARIS, J., 57

PAPADOPOULOS, N. M., *see* BLOOMER, H.S., 869
PAPPER, S., *see* BLEIFER, K. H., 409
PARIS, J.; MCCONAHEY, W. M.; OWEN, C. A.,

JR.; WOOLNER, L. B., and BAHN, R. C.: Iodide goiter, 57
PARSONS, L., *see* RONAN, F. F., 355
PASCHKIS, K. E., *see* CHAVARRIA, C., 894
PAZ-CARRANZA, J., *see* SLATER, S., 401
PAZIANOS, A. G.; BENUA, R.; RAY, B. S., and PEARSON, O. H.: Persistent thyroid function following hypophysectomy, 1051
PEARSON, O. H., *see* FUKUSHIMA, D. K., 1234
——, *see* PAZIANOS, A. G., 1051
PÉREZ-LOZANO, A., *see* PIMENTEL-MALAUSSENA, E., 1037
PERKOFF, G. T.; EIK-NES, K.; CARNES, W. H., and TYLER, F. H.: Selective hypopituitarism with deficiency of anterior pituitary basophils: a case report, 1269
PERLMUTTER, M., *see* SLATER, S., 401
PETERSON, R. E.; NOKES, G.; CHEN, P. S., JR., and BLACK, R. L.: Estrogens and adrenocortical function in man, 495
PIMENTEL-MALAUSSENA, E.; MAZZIOTTA-MIRABAL, R.; PÉREZ-LOZANO, A., and CARBONELL, L.: Biopsy of the thyroid in nongoitrous myxedema (Letter to the Editor), 1037
PLANTIN, L.-O., *see* BIRKE, G., 593
PLOTZ, E. J., *see* LANDAU, R. L., 1561
PUUPPONEN, E., *see* HORTLING, H., 466

QUERIDO, A., *see* CHOUFOER, J. C., 983

RABINOWITZ, D., *see* OETTLÉ, A. G., 683
RADICHEVICH, I., *see* WERNER, S. C., 1373
RAESIDE, J. I., *see* HOBKIRK, R., 805
RANDALL, R. V.; CLARK, E. C.; DODGE, H. W., JR., and LOVE, J. G.: Polyuria after operation for tumors in the region of the hypophysis and hypothalamus, 1614
RATKOVITS, B., *see* KAPPAS, A., 898
RAVERA, J. J.; CERVIÑO, J. M.; FERNÁNDEZ, G.; FERRARI FORCADE, A.; MALOSETTI, H.; MUXI, F.; MAGGIOLO, J.; MUSSIO FOURNIER, J. C., and RAWAK, F.: Two cases of Graves' disease with signs of a pyramidal lesion. Improvement in neurologic signs during treatment with antithyroid drugs, 876
RAWAK, F., *see* RAVERA, J. J., 876
RAWSON, R. W., *see* LEEPER, R. D., 1614
RAY, B. S., *see* PAZIANOS, A. G., 1051
REIS, D. J.: Potentiation of the vasoconstrictor action of topical norepinephrine on the human bulbar conjunctival vessels after topical application of certain adrenocortical hormones, 446
REYNOLDS, C. W., *see* MCCULLAGH, E. P., 1029
REYNOLDS, T. B.; LANMAN, H., and TUPIKOVA, N.: Maximum tubular reabsorption of phosphate (TmP) in hyperparathyroidism, 1136
RICH, C.: The distribution of calcium given to human subjects by sustained intravenous infusion, 147
RITER, B., *see* LIPSETT, M. B., 180
ROBBINS, L. R., and VINSON, D. B.: Objective psychologic assessment of the thyrotoxic patient and the response to treatment: preliminary report, 120
RONAN, F. F.; PARSONS, L.; NAMIOT, R., and WOTIZ, H. H.: Studies in steroid metabolism. IX. The excretion of pregnane-3α,17α,20α-triol during pregnancy, 355
ROSE, E., *see* HYDOVITZ, J. D., 1526
ROSEMBERG, E.: Urinary gonadotropin excretion measured by the mouse uterine response, employing estrone as the standard reference material, 306
——; DUFAULT, F. X., JR.; BLOCH, E.; BUDNITZ, E.; BUTLER, P., and BREM, J.: The effects of progressive reduction of sodium intake on adrenal steroid excretion and electrolyte balance in a case of congenital adrenal hyperplasia of the salt-losing type, 214
——, and ENGEL, I.: The influence of steroids on urinary gonadotropin excretion in a postmenopausal woman, 1576
ROSENBERG, H. S., *see* MCCULLAGH, E. P., 1286
ROSS, E. J.: Modification of the effects of aldosterone on electrolyte excretion in man by simultaneous administration of corticosterone and hydrocortisone. Relevance to Conn's syndrome, 229
—— Urinary excretion of cortisol in Cushing's syndrome: effect of corticotropin, 1360
ROSS, M., *see* ASSALI, N. S., 581
ROW, V. V., *see* WERNER, S. C., 1373
RUNDLE, F. F., *see* ODDIE, T. H., 389, 1146
RUPP, J. J., *see* CHAVARRIA, C., 894
RUSKIN, H., *see* HECHT, A., 1184
RYAN, D. W., *see* WILSON, H., 534

SAMUELS, L. T., *see* NUGENT C. A., 1259
SANDBERG, A. A., *see* CHANG, E., 1568
SAXON, L., *see* BLEIFER, K. H., 409
SCHEDL, H. P., *see* MILLS, I. H., 515
SCHON, M., and SUTHERLAND, A. M.: The role of hormones in human behavior. III. Changes in female sexuality after hypophysectomy, 833
SCHWARTZ, H., *see* GARST, J. B., 1351
SCHWARTZ, H. L., *see* CARTER, A. C., 477
——, *see* FELDMAN, E. B., 842
SCHWARZ, F., *see* DER KINDEREN, P. J., 712
SEFTEL, H. C., *see* OETTLÉ, A. G., 683
SERENA, B., *see* GOLD, E. M., 315
SHELINE, G. E., and MCCORMACK, K.: Solitary hyperfunctioning thyroid nodules, 1401
SHIZUME, K.; ISHII, J.; MATSUDA, K., and NAGATAKI, S.: Increase of thyroidal I^{131} uptake following administration of triiodothyronine in some patients with hyperthyroidism, 1416
SHUMWAY, N. P., *see* GARST, J. B., 1351
SHUSTER, S.: Adrenal function in chronic wasting diseases, 675
SIDBURY, J. B., JR., *see* STEMPFEL, R. S., JR., 814
SIKKEMA, S. H.: Triiodothyronine in the diagnosis and treatment of hypothyroidism: failure to demonstrate the metabolic insufficiency syndrome (controlled study), 546
SIMKIN, B., and GOODART, D.: Preliminary observations on prolactin activity in human blood, 1095
SLADE, C. I., *see* BAILEY, R. E., 457
SLATER, S.; PERLMUTTER, M.; PAZ-CARRANZA,

J., and NUMEROFF, M.: The effects of several thyroxine analogues upon the thyroidal I^{131} uptake in man, 401
SLAUNWHITE, W. R., JR., and BUCHWALD, K. W.: Urinary 17-ketosteroids and estrogens in a case of feminizing adrenal tumor, 786
——, *see* CHANG, E., 1568
SLINGERLAND, D. W., *see* YAMAZAKI, E., 794, 889
SMITH, L. L.; STEENBURG, R. W.; GRUBER, U. F.; KAALSTAD, A. J., and MOORE, F. D.: The effect of testosterone on corticosteroids in surgical trauma: studies in man, 919
SOFFER, L. J., *see* KRIEGER, D. T., 1493
SOUTHREN, A. L.: Functioning metastatic bronchial carcinoid with elevated levels of serum and cerebrospinal fluid serotonin and pituitary adenoma, 298
SPECHT, N., *see* ADAMS, R., 1366
STARR, P.: Depression of the serum cholesterol level in myxedematous patients by an oral dosage of sodium dextro-thyroxine which has no effect on the basal metabolic rate or electrocardiogram, 116
——, *see* KALLMAN, B., 436
STEENBURG, R. W., *see* SMITH, L. L., 919
STEMPFEL, R. S., JR.; SIDBURY, J. B., JR., and MIGEON, C. J.: β-Glucuronidase hydrolysis of urinary corticosteroid conjugates: the effects of salicylate glucuronoside as a competing substrate and the effect of enzyme inactivation, 814
STODDARD, F. J., *see* ENGSTROM, W. W., 780
SUTHERLAND, A. M., *see* SCHON, M., 833
SWANSON, H. E., and EZRIN, C.: The natural history of the delta cell of the human adenohypophysis: in childhood, adulthood, and pregnancy, 952

THOMAS, I. D.; ODDIE, T. H.; HALES, I.; MYHILL, J., and FITZSIMONS, E.: The measurement of thyroidal iodine uptake soon after therapy with radioiodine, 1392
——; ODDIE, T. H., and MYHILL, J.: A diagnostic radioiodine uptake test in patients receiving antithyroid drugs, 1601
——, *see* ODDIE, T. H., 389, 1146
THOMAS, P. Z., *see* VAN WYK, J. J., 157
TOUCHSTONE, J. C., and GREENE, J. W., JR.: Free estriol in blood plasma (Letter to the Editor), 647
TREMBLAY, G., *see* DAVIGNON, J., 1515
TROUT, D. L., *see* BOGDONOFF, M. D., 1333
TUPIKOVA, N., *see* REYNOLDS, T. B., 1136
TURNER, R. D., *see* MOSIER, H. D., 632
TYLER, F. H., *see* NUGENT, C. A., 1259
——, *see* PERKOFF, G. T., 1269

ULSTROM, R. A.; COLLE, E.; BURLEY, J., and GUNVILLE, R.: Adrenocortical steroid metabolism in newborn infants. I. Urinary excretion of free and conjugated 17-hydroxycorticosteroids in normal full-term infants, 1066
——; COLLE, E.; BURLEY, J., and GUNVILLE, R.: Adrenocortical steroid metabolism in newborn infants. II. Urinary excretion of 6β-hydroxycortisol and other polar metabolites, 1080
——, *see* COLLE, E., 1215
——, *see* DOE, R. P., 1484
UNGAR, F.; BLOOM, B. R., and DORFMAN, R. I.: The metabolism of 3α,17α-dihydroxypregnane-11,20-dione-4-C^{14} *in vitro* (Letter to the Editor), 1191
UPTON, G. V., *see* AMATRUDA, T. T., JR., 339

VAGI, K., *see* GIVNER, M. L., 665
VALE, J., *see* VOLPÉ, R., 415
VAN DYKE, H. B., *see* CURRIE, A. R., 947
VAN WYK, J. J.; DUGGER, G. S.; NEWSOME, J. F., and THOMAS, P. Z.: The effect of pituitary stalk section on the adrenal function of women with cancer of the breast, 157
VENNES, J. A., *see* DOE, R. P., 253
VENNING, E. H., *see* DYRENFURTH, I., 735, 751, 765
VILAR, O., *see* DE LA BALZE, F. A., 266, 286
VINSON, D. B., *see* ROBBINS, L. R., 120
VOLPÉ, R.; VALE, J., and JOHNSTON, M. W., with the technical assistance of HUBER, N.: The effects of certain physical and emotional tensions and strains on fluctuations in the level of serum protein-bound iodine, 415

WALLACE, E. Z., *see* HOLUB, D. A., 1294
WARD, J. A.; KRANTZ, S.; MENDELOFF, J., and HALLIWANGER, E.: Interstitial-cell tumor of the testis: report of two cases, 1622
WEICHSELBAUM, T. E., and MARGRAF, H. W.: Isolation and identification of adrenocortical steroids in human peripheral plasma. I. A naturally occurring C_{21} steroid acetate (11-dehydrocorticosterone acetate) and "free" tetrahydrocortisone in normal plasma, 1341
WEIGLE, W. O., *see* DANOWSKI, T. S., 1521
WEISENFELD, S., and GOLDNER, M. G.: The effect of various steroids on the hyperglycemic action of glucagon, 700
WEISSBEIN, A. S., and LAWSON, J. D.: Paradoxical lengthening of muscle contraction time in hypothyroid patients given small doses of *l*-triiodothyronine, thyroxine and desiccated thyroid, 429
WELCH, J. W., *see* CHESKY, V. E., 1280
WELLBY, M. L.; GOOD, B. F.; CHARNOCK, J. S., and HETZEL, B. S.: The early metabolic effects of desiccated thyroid, thyroxine and triiodothyronine in man: comparison with early effect of thyrotropic hormone, 1384
WERNER, S. C.; BLOCK, R. J., and MANDL, R. H.: Probable genetic basis for abnormal circulating iodoproteins (butanol-insoluble serum iodine): study of a family with several hypothyroid members with and without goiter, 205
——; ROW, V. V., and RADICHEVICH, I.: Nontoxic nodular goiter with formation and release of a compound with the chromatographic mobility characteristics of triiodothyronine, 1373
WILKINS, L., *see* GREEN, O. C., 929
WILL, D. W., *see* MOSIER, H. D., 632

WILLIAMS, G. A.; CROCKETT, C. L.; BUTLER, W. W. S., III, and CRISPELL, K. R.: The coexistence of pheochromocytoma and adrenocortical hyperplasia, 622
WILLIAMS, R. H., *see* ODELL, W. D., 1017
WILSON, H.; LIPSETT, M. B., and BUTLER, L. C., with the technical assistance of RYAN, D. W.: Steroid excretion in hypophysectomized women, and the initial effects of corticotropin: a study in urinary steroid patterns, 534
WINTERS, R. W., *see* GREENBERG, B. G., 364
WISENBAUGH, P. E., and HELLER, H. M.: Flexion contractures in Addison's disease (Letter to the Editor), 792
WOODWARD, I., *see* ADAMS, R., 1366
WOOLNER, L. B.; LEMMON, M. L.; BEAHRS, O. H.; MARDEN, B. M., and KEATING, F. R., JR.: Occult papillary carcinoma of the thyroid gland: a study of 140 cases observed in a 30-year period, 89
——, *see* BLACK, B. M., 130
——, *see* PARIS, J., 57
WOTIZ, H. H., *see* RONAN, F. F., 355
WU, J., *see* KUSHINSKY, S., 719

YAMAZAKI, E.; NOGUCHI, A., and SLINGERLAND, D. W.: Effect of methylthiouracil and iodide on the iodinated constituents of thyroid tissue in Graves' disease, 889
——; NOGUCHI, A., and SLINGERLAND, D. W.: The *in vitro* metabolism of iodide, diiodotyrosine and thyroxine by human placenta (Letter to the Editor), 974

ZINNEMAN, H. H., *see* DOE, R. P., 1484

SUBJECT INDEX TO VOLUME 20

ABNORMALITIES, genetic: *see* Congenital; Familial
ABSCESSES: *see* Infection
ACETYLSALICYLIC ACID: *see* Salicylate
ACHILLES REFLEX: *see* Muscle; Nervous system
ACNE: *see* Skin
ACONITASE: *see* Enzymes
ACROMEGALY: *see* Pituitary disorders
ACTH (adrenocorticotropin): *see* Pituitary preps. & comps.
ADDISON'S DISEASE: *see* Adrenal disorders
ADENOHYPOPHYSIS: *see* Pituitary
ADRENAL
DISORDERS
—— ACTH-induced hyperadrenalism; SU-4885 test of ACTH reserve in, 1294
—— Addisonian pigmentation in case of Cushing's syn. with ca. of hypophysis; effect of ACTH & hypophysectomy on 17-KS, 173
—— Addison's disease; effect of aldosterone i.v. with and without hydrocortisone on excretion of Na and K, 229
—— Addison's disease; flexion contractures in, 792
—— adenomatous (Conn's syndrome) and nontumorous adrenal tissue *in vitro;* steroid production by, 457
—— adrenal hyperplasia and mineralocorticoid excess; effects on aldosterone excretion and response to ACTH and Na, 1004
—— adrenal insufficiency; diurnal variation in excretion of Na, K, Mg, 17-OH-CS and creatinine in; effect of cortisol on, 253
—— adrenal insufficiency due to hypoadrenotropism, 1017
—— adrenal insufficiency from failure of ACTH; deficiency of basophils; autopsy, 1269
—— adrenal insufficiency, induced after hypophysectomy; steroid excretion pattern in; effect of ACTH, 534
—— adrenal insufficiency; SU-4885 pituitary reserve test; excretion of 11-DOCS, 1527
—— adrenalectomized-oophorectomized women with breast cancer; effect of ethynylnortestosterone on gonadotropins in, 529
—— adrenalectomized patients; corticosteroid excretion patterns in; effect of corticosterone, 751
—— adrenalectomy; effect on ACTH-suppression test in Cushing's syn., 1539
—— adrenocortical hyperfunction; effect of ACTH on corticosteroid excretion pattern and 17-KS in; suppression tests, 735, 751
—— adrenocortical hyperfunction; *in vitro* secretion of steroids by adrenals in; effect of adrenalectomy, 765
—— aldosteronism, primary, due to adrenocortical ca.; prominent periph. edema in; effect of operation and DOC, 1168
—— aldosteronism, primary; excretion of pregnanetriol and pregnenetriol in, 1503
—— aldosteronism, primary; incidence in patients with hypertension, 1351
—— bilaterally adrenalectomized patient; plasma 17-OH-CS during infusions of comps. S and F, 315
—— bilaterally adrenalectomized pregnant woman; adrenal function in, 1493
—— carcinoma; metabolic effects of human growth hormone in, 1427
—— carcinoma; studies with adrenal inhibitor (SU-4885), 1234
—— congenital adrenal hyperplasia; hypertensive, simple, and salt-losing forms; urinary steroids in, 929
—— congenital adrenal hyperplasia; relation of metabolism of 17α-hydroxyprogesterone to, 238
—— congenital adrenal hyperplasia; treatment with conc. hydrocortisone acetate, 862
—— congenital, salt-losing adrenal hyperplasia; effects of progressive reduction of sodium intake on adrenal steroid excretion and electrolyte balance, 214
—— congenital salt-losing adrenal hyperplasia; steroid isolated from the urine of; metabolic effects in aldosteronism and Cushing's syn., 729
—— Conn's syndrome (hyperaldosteronism); relation to modification of effect of aldosterone on electrolytes by simult. admin. of corticosterone and hydrocortisone, 229
—— Cushing's syndrome: *see also* Cushing's syndrome
—— feminizing adrenal tumor; urinary 17-KS and estrogens; effect of operation, 786
—— hyper- and hypofunction; clinical application of ACTH test, 593
—— hypoadrenalism; metabolic and renotropic effects of human growth hormone in, 1107

ADRENAL (*cont'd.*)
DISORDERS (*cont'd.*)
—— hypoadrenotropism: *see* Pituitary disorders
—— mineralocorticoid excess, primary; effects of a spirolactone (SC-8109) in, 1158
—— pheochromocytoma; failure to isolate cortisol from, 1515
—— pheochromocytoma plus adrenocortical hyperplasia; unilat. adrenalectomy curative, 622
PHYSIOLOGY & PATHOLOGY
—— (ACTH) adrenocorticotropic hormone: *see* Pituitary preps. & comps.
—— adrenal function foll'g pituitary stalk section; effects of pyrogen and ACTH, 157
—— adrenal function in a pregnant bilat. adrenalectomized woman, 1493
—— adrenal function in chronic wasting diseases, 675
—— adrenal function in relation to vasopressin and oxytocin in post. lobe of pituitary, 947
— adrenal function; inadequacies in chemical indices of, 1341
—— adrenal inhibitor (SU-4885); studies with in adrenal ca., 1234
—— adrenal-pituitary function tests in Cushing's syn., 1539
—— adrenal-pituitary-hypothalamic system; integrity of re steroid withdrawal syndrome, 339
—— adrenocortical function and estrogens, 495, 515
—— adrenocortical-medullary relationships, 622
—— adrenocortical response to stress: *see also* Stress
—— adrenocortical versus ovarian origin of urinary A+E precursor in Stein-Leventhal syndrome, 1587
—— assessment of functional capacity of the adrenal cortex, 593
—— chromaffin: *see also* Chromaffin
—— histology of adrenals in boy with precocious puberty, 1286
—— histology of adrenals in case of hypoadrenotropism, 1017
—— histology of adrenals in prim. mineralocorticoid excess, 1158
—— multinodular adrenals in Cushing's syn., 632
—— normal adrenal tissue slices; steroids released by, 1515
—— secretion of steroids by hyperfunctioning adrenals *in vitro*, 765
—— steroid content of adrenocortical adenoma in case of aldosteronism, 1168
—— steroid production by adenomatous and nontumorous adrenal tissue *in vitro*, 457
PREPARATIONS & COMPOUNDS
—— adrenal androgens in women after hypophysectomy for breast cancer (studied with cortisone), 833
—— adrenal corticosteroid therapy in hypoandrenotropism, 1017

ADRENALS (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— adrenal steroid excretion in Cushing's syn. with multinodular adrenals; effects of fluoro-F, ACTH, and operation, 632
—— adrenal steroid (including aldosterone) excretion; effects of progressive reduction of sodium intake on, in congenital, salt-losing adrenal hyperplasia, 214
—— adrenal steroids, various; effect on hyperglycemic action of glucagon, 700
—— aldosterone and other corticosteroids produced by nontumorous and tumorous adrenal tissue *in vitro*, 457
—— aldosterone and other steroids; effect of abnormalities of pit., adrenal or thyroid function on, 1004
—— aldosterone antagonist (SC-8109) effect on steroids in primary mineralocorticoid excess, 1158
—— aldosterone excretion in essential hypertension, 1351
—— aldosterone; modification of its effects on electrolytes by simult. admin. of corticosterone and hydrocortisone; relation to Conn' syn., 229
—— aldosterone; relation to effect of progesterone in pregnancy, 1561
—— catecholamines; role in neonatal adjustments, 1207
—— compounds, F, B, aldosterone and DOC in the adrenal tumor in prim. aldosteronism, 1168
—— concentrated hydrocortisone acetate; treatment of congen. adrenal hyperplasia with; contraindications, 862
—— corticoid excretion in simple hirsutism; effect of prednisolone and ACTH, 967
—— corticosteroid conjugates, urinary (after 4-C^{14}-cortisol); hydrolysis of, as affected by salicylate and by enzyme inactivation, 814
—— corticosteroid excretion; diagnostic response to ACTH test, 593
—— corticosteroid excretion in hypertensive adrenal hyperplasia, 929
—— corticosteroid excretion pattern, 17-KS and aldosterone; effect of ACTH on in adrenocort. hyperfunction, 735, 751
—— corticosteroids and ketosteroids; effect of testosterone on in surgical trauma, 919
—— corticosteroids in case of L.-Moon syndrome, 683
—— corticosteroids of urine and plasma in selective hypopituitarism; effect of DCA and comp. F; gastric ulcer, 1269
—— cortisol-4-C^{14}-metabolites; factors affecting hydrolysis in urine, 814
—— cortisol excretion in Cushing's syn.; effect of ACTH, 1360
—— cortisol; failure to isolate from a pheochromocytoma, 1515
—— cortisol in plasma during ACTH and insulin tests in tubercular men with Cushing's syn. due to ACTH and prednisone therapy, 339
—— cortisol of plasma, nonprotein-bound;

ADRENALS (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
significance in various normal and diseased states, 1484
—— cortisone or cortisol; effect on pretibial myxedema, 825
—— cortisone therapy; relation to polyuria after operation for tumors of hypophysis and hypothalamus, 1614
—— DCA and compound F during sodium restriction; effect on urinary adrenal steroids in child with salt-losing adrenal hyperplasia, 214
—— 11-dehydrocorticosterone acetate and free tetrahydrocortisone, naturally occuring in normal plasma, 1341
—— 11-desoxycorticosteroids (11-DO-CS); new method for, 1527
—— 11-desoxycortisol or cortisol infusion; plasma P-S chromogens during, 315
—— dexamethasone and fluorocortisol in ACTH-suppression tests in Cushing's syn., 1539
—— dexamethasone-treated subjects; effect of estrogen on AC steroids in, 495, 515
—— dexamethasone with infusions of ACTH; effect on plasma 17-OH-CS in normal men, 1259
—— 3β-16α-dihydroxy-allopregnan-20-one from urine of "salt-losing" ad. hyperplasia; effect on electrolyte and steroid metabolism, 729
—— DOC-inhibiting and natriuresis-promoting factor in urine of child with salt-losing ad, hyperplasia, 214
—— DOC therapy in relation to edema after op. for adrenocortical ca., 1168
—— epinephrine and norepinephrine excretion in acute CNS arousal, 1333
—— epinephrine and norepinephrine excretion in the newborn; metabolism of admin'd epinephrine, 1207
—— epinephrine; effects on thyroxine metabolism; thyroid metabolites in human serum and rat tissues, 436
—— fluorohydrocortisone and oxylone suppression tests in adrenocort. hyperfunction, 735
—— fluorohydrocortisone; effect on 17-KS in Stein-Leventhal syndrome, 1587
—— glucocorticoids; effect on general and pretibial myxedema, 825
—— hydrocortisone and other AC steroids; effect of estrogens on metabolism and protein binding of, 495, 515
—— 17-hydroxycorticoids: *see* Adrenal preps. & comps., 17-OH-CS
—— 6β-hydroxycortisol and other polar metabolites in urine of newborn infants, 1080
—— 17-ketosteroids: *see also* Steroids, 17-KS
—— 17-KGS and 17-KS excretion in Cushing's syn., Addisonian pigmentation, and ca. of hypophysis; effect of ACTH and operation, 173
—— 17-KS, three groups of, in syndrome of polycystic ovaries and hyperthecosis, 1587
—— metabolites of hydrocortisone and Reichstein's substance S; effect of SU-4885 on, 1234
—— metabolites of 17α-hydroxyprogesterone; relation to congenital ad. hyperplasia, 238
—— metabolites of progesterone, *see* Progesterone
—— mineralocorticoids in treatment of flexion contractures in Addison's dis., 792
—— norepinephrine and AC steroids in case of pheochromocytoma + AC hyperplasia; effect of surgery, 622
—— norepinephrine, topical; potentiation of bulbar conjunctival vasoconstrictor action after topical application of certain adrenocortical hormones, 446
—— norepinephrine: *see also* Adrenal preps. & comps, epinephrine
—— 17-OH-CS and cortisol in chronic wasting diseases, 675
—— 17-OH-CS and electrolytes; diurnal variation of in normal subjects and in treated adrenal insuff. and Cushing's syn.; effect of cortisol on, 253
—— 17-OH-CS and 17-KS in women treated with 17α-methyl-19-nortestosterone, 842
—— 17-OH-CS and 17-KS (plasma and urine) foll'g pituitary stalk section; effects of pyrogen and ACTH, 157
—— 17-OH-CS, endogeneous (free and conj.); renal clearance of in hypertension; effect of ACTH, 1445
—— 17-OH-CS excretion in newborn infants; effect of major surgery and admin. of ACTH, 1215
—— 17-OH-CS excretion; suppression tests in Cushing's syn., 1539
—— 17-OH-CS (free and conjugated) in urine of newborn infants, 1066
—— 17-OH-CS, 17-KS and estrogens in I-C tumor of testes with gynecomastia, 1622
—— 17-OH-CS of plasma during SU-4885 infusion, 315
—— 17-OH-CS of plasma; effect of ACTH infusion on in Cushing's syn.; loss of diurnal variation, 1259
—— Porter-Silber chromogens; combined estimation of cortisol and 11-desoxycortisol as, 315
—— pregnanetriol and pregnenetriol; method for determination of in urine, 1503
—— pregnanetriol: *see also* Pregnanetriol
—— six adrenocortical hormones; relative potencies re carbohydrate and salt regulation and norepinephrine potentiation, 446
—— steroid excretion pattern; effect of ACTH on in hypophysect'd women, 534
—— steroids of urine and plasma in bilat. adrenalectomized woman, during pregnancy and post partum, 1493

ADRENALS (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— steroids released by normal adrenal tissue slices; effect of ACTH, 1515
—— steroid response to SU-4885 in ACTH-treated patients, 1294
—— steroids secreted *in vitro* by adrenals from patients with adrenocort. hyperplasia; effects of adrenalectomy, ACTH and amphenone, 765
—— steroids: *see also* Steroids
—— triamcinolone or ACTH; effect on adrenal function in chronic wasting disease, 675
ADRENALINE: *see* Adrenal prep. & comp., epinephrine
ADRENOCORTICOTROPIN (ACTH): *see* Pituitary preps. & comps., ACTH
ADRENOGENITAL SYNDROME: *see* Adrenal disorders
AGE: *see also* Children; Pregnancy, fetus
—— distribution of patients with occult papillary ca. of thyroid, 89
—— HPG excretion plotted as function of, 306
—— in relation to cortisol metabolism, 1215
—— in relation to delta and gamma cells of adenohypophysis, 952
—— in relation to kinetics of glucose utilization, 1120
—— in relation to serum inorganic phosphorus, 364
—— in relation to urinary 17-OH-CS and cortisol of infants, 1066, 1080
—— in relation to vasopressin and oxytocin in post. lobe of pituitary, 947
—— maturation of normal testes and changes in undescended testes in boys of puberal age, 266, 286
—— of patients with solid large-cell carcinoma of the thyroid, 1280
—— relation between age and thyroidal I^{131} uptake rate in Australian subjects with and without goiter, 389
—— young men: *see also* Testis; Sex
—— young women: *see also* Ovary; Sex
ALBUMIN: *see* Protein
ALCOHOLICS; occurrence and treatment of hypothyroidism among, 609
ALDOSTERONE: *see* Adrenal preps. & comps.
ALDOSTERONISM: *see* Adrenal disorders
ALKALINITY
—— alkalinity of washes; effect on recovery of comps. S and F from plasma, 315
—— sodium hydroxide wash; loss in assay of aldosterone due to, 1351
ALLOPREGNANEDIOL: *see* Pregnanediol; Progesterone
ALLOTETRAHYDROCORTISOL (ATHF): *see* Adrenal preps. & comps., steroids
AMENORRHEA: *see* Menstruation; Ovary; Pregnancy
AMERICAN CANCER SOCIETY; Fourth National Cancer Conference, 336
AMERICAN GOITER ASSOCIATION
Annual Meetings
—— July 5–9, 1960, London, England, with *Fourth International Goiter Conference:* announcements of, 141, 335, 489, 662, 803, 910 (with program)
—— May 3–6, 1961, Philadelphia, Pa: announcements of 1307, 1424, 1536, 1642
Award (Van Meter Prize)
—— for 1960; recipient of, 1424
—— for 1961; announcements of, 1307, 1424, 1536, 1642
AMERICAN SOCIETY FOR STUDY OF STERILITY grant-in-aid, 1425
AMERICAN UROLOGICAL ASSOCIATION award, 120
AMPHENONE: *see also* SU-4885
—— effect on *in vitro* steroid production of hyperfunctioning adrenal tissue, 765
AMPHOPHIL CELLS: *see* Pituitary, physiol. & path.
ANABOLIC: *see also* Nitrogen; Protein
—— growth hormone, human: *see* Pituitary preps. & comps.
—— steroids: *see* Androgens; Steroids
ANDROGENS: *see also* Testis; Sex; Steroids
—— adrenal, in women after hypophysectomy for breast cancer, 833
—— androgenic stimulation reduced by castration in male aolescents; effect on scalp hair, 1309
—— androsterone, etiocholanolone, ketosteroids and pregnanetriol in hirsutism, 180
—— androsterone plus etiocholanolone, and DHA; excretion of in Stein-Leventhal syndrome; effect of various hormones and ovarian wedge resection on, 1587
—— excretion of in congenital adrenal hyperplasia treated with conc. hydrocortisone ac., 862
—— metabolites of 17α-hydroxyprogesterone; relation to congenital ad. hyperplasia, 238
—— 17-methyl-19-nortestosterone and t. propionate; endocrinologic and metabolic effects in women, 842
—— methyltestosterone, and 17α-ethynyl-19-nortestosterone (Norlutin); influence on HPG excretion in postmenopausal woman, 1576
—— relation to I-C tumor of testis with gynecomastia; urinary 17-KS and estrogens, 1622
—— testosterone; effect on corticosteroids in surgical trauma, 919
—— testosterone, nortestosterone, normethandrone, and various steroids; effect on action of glucagon, 700
—— testosterone propionate; effect on estrogen excretion in myocardial infarction, 665
—— urinary excretion pattern in hypophysect'd women; effect of ACTH, 534
—— urinary, in a case of feminizing adrenal tumor, 786
ANDROSTERONE: *see* Androgens
ANEMIA: *see* Blood
ANNOUNCEMENTS: *see* Endocrine Society; Courses; Grants; Am. Cancer Soc.; Am. Goiter Assoc.; Am. Soc. Study Sterility; Am. Urological Soc.; Inter-Soc. Cytology Council; Laurentian Hormone Conference; National Institutes of Health; New York State Univ.; New York Univ.; Nuclear Medicine, Society; Oklahoma, University; Teratology Soc.;

ANNOUNCEMENTS (*cont'd.*)
Texas, University; Wisconsin, University; Worcester Foundation Exper. Biology
ANNUAL MEETINGS: *see* Endocrine Society; Announcements; Courses
ANOMALIES, congenital: *see* Children; Familial; and under various endocrine disorders
ANOREXIA NERVOSA: *see* Gastro-intestinal tract
ANTIBIOTICS plus prednisone and ACTH in treatment of tuberculosis; effect of steroid withdrawal, 339
ANTIBODIES
—— antithyroid, in Hashimoto's struma, 881
—— autoantibodies to thyroglobulin tested in 2 cases of familial hypothyroidism with and without goiter, 205
—— in relation to thyroiditis foll'g admin. of TSH, 1521
—— reaction of diseased thyroid homogenates to rabbit anti-human proteins, 21
—— to saline extract of thyroid in nongoitrous myxedema, 1037
ANTIDIURETIC HORMONE: *see* Pituitary, preps. & comps.
ANTITHYROID DRUGS: *see also* Methimazole; Thiouracil; Thyroid disorders, treatment
—— hyperthyroidism pre-treated with antithyroid drugs; uptake of I^{131} before and after admin. of thyroxine, 1146
—— patients receiving antithyroid drugs; a diagnostic I^{131}-uptake test in, 1601
ANXIETY: *see* Mental
ARSENICAL POISONING; effect of BAL on I^{131} uptake in cases of, 13
ARTERIES: *see* Vascular system; Heart
ARTERIOSCLEROSIS: *see* Vascular system
ARTHRITIS; rheumatoid; effect of estrogen on AC function in, 495
AUSTRALIANS; thyroidal I^{131} uptake rates and thyroidal status in 1116 subjects, 389
AUTHOR INDEX to Volume 20, 1645
AUTOANTIBODIES: *see* Antibodies
AWARDS: *see* Endocrine Society; Am. Goiter A.; and Grants
AYERST FELLOWSHIP: *see* Endocrine Society, awards

BAL: *see* Dimercaptopropanol
BALDNESS: *see* Hair
BASAL METABOLISM: *see also* Thyroid; Iodine
—— and ECG unaffected by oral sodium *d*-thyroxine causing depression of serum cholesterol level, 116
—— and serum uric acid and cholesterol levels; effect of Tri-prop. on in man with myxedema and gout, 1457
—— early effects of desicc. thyroid, T_4 and T_3 on, compared with those of TSH, 1384
—— early metabolic effects of T_3 and TSH (incl. serum P), 556
—— effect of iodine and thyroid preps. on, *see also* Iodine; Thyroid
—— "euthyroid hypometabolism" among alcoholics; response to therapy, 609
—— in case of pheochromocytoma + AC hyperplasia; effect of surgery, 622
—— in five cases of iodide goiter, 57
BASAL METABOLISM (*cont'd.*)
—— in thyroid disorders, *see also* Thyroid
—— in women treated with 17α-methyl-19-nortestosterone, 842
—— metabolic insufficiency studied with T_3 and T_4; psychometric evaluation, 106
—— metabolic insufficiency syndrome not demonstrated, 546
—— oxygen consumption and thyroxine deiodination by leukocytes, 35
BASOPHILS: *see* Pituitary, physiol. & path.
BEHAVIOR: *see* Mental
BEI: *see* Iodine
BETA CELLS: *see* Pituitary, physiol. & path.
BII (butanol-insoluble iodine): *see* Iodine
BILE: BILIARY: *see* Liver and Gall Bladder
BILIRUBIN: *see* Liver and Gall Bladder
BIOLOGIC CHARACTERIZATION of human gonadotropins, 858, 1059, 1225
BIOLOGIC FINGERPRINT method: *see* Methods
BLADDER
—— gall bladder: *see* Liver
—— urinary bladder: *see* Urine; Kidney
BLOOD: *see also* under constituent or under disorder involved
—— adrenal steroids: see Adrenal, preps. & comps.
—— androsterone: *see* Androgens
—— anemias, thalassemias (and traits), leukemia, Hodgkin's d. and polycythemia vera; uptake of I^{131}-T_3 by erythrocytes, 1467
—— antibodies: *see* Antibodies
—— autoantibodies: *see* Antibodies
—— butanol-insoluble iodine: see Iodine; Thyroid preps. & comps.
—— calcium: *see* Calcium
—— chloride: *see* Electrolytes; Sodium
—— cholesterol: *see* Cholesterol
—— conjugated and free 17-OH-CS: *see* Adrenal, preps. & comps.
—— corticoids; corticosteroids; cortisol: *see* also Adrenal preps. & comps.
—— cortisol and 11-desoxycortisol; combined estimation of as P-S chromogens, 315
—— electrolytes: *see* Electrolytes; Potassium; Sodium
—— eosinophil count (ACTH test) in hypoadrenotropism, 1017
—— eosinophil count; effect of estrogen therapy on, 515
—— eosinophils: *see also* Pituitary, preps. & comps., ACTH test
—— erythrocyte uptake of T_3; errors in determination, 480
—— estriol fractions of, 1633
—— exophthalmos-producing substance in, 712
—— free and conjugated 17-OH-CS: *see* Adrenal preps. & comps.
—— "free" tetrahydrocortisone: *see* Adrenal preps. & comps.
—— gamma globulin conc. in myxedema, 869
—— glucose: *see* Carbohydrate metabolism; Diabetes; Insulin
—— gonadotropins: *see* Gonadotropins
—— hematocrit correction, improved, for labeling erythrocytes with I^{131}-T_3, 1366

BLOOD (*cont'd.*)
—— hemoglobin; effect of methylnortestosterone and testosterone on in women, 842
—— hydrocortisone: *see* Adrenal preps. & comps.
—— hyperuricemia in myxedema, 1457
—— iodine: *see* Iodine
—— iodotyrosines and iodothyronines: see Iodine; Thyroid preps. & comps.
—— 17-ketosteroids: *see* Steroids, 17-ketosteroids
—— leukemia; metabolism of 3α,17α-dihydroxypregnane-11, 20-dione-4-C^{14} in woman with, 1191
—— leukocytes, human; oxygen consumption and thyroxine deiodination by, 35
—— leukocytes (polymorph.); female characteristics of nuclei in 2 sisters with gonadal dysgenesis and male nuclear chromatin pattern in skin, 1301
—— leukocytes: *see also* Sex, chromatin
—— lipids and lipoproteins: *see* Lipids; Proteins
—— maternal and cord plasma; free estriol in, 647
—— methods for det'n of constituents: *see* Methods; Tests
—— mono- and diiodotyrosine: *see* Thyroid preps. & comps.
—— 17-OH-CS: *see* Adrenal preps. & comps.
—— PBI: *see* Iodine
—— phosphatase, acid or alk.: *see* Enzymes
—— phosphorus: *see* Phosphorus
—— plasma; 11-dehydrocorticosterone acetate and tetrahydrocortisone in, 1341
—— plasma HPG levels; renal clearance studies, 1437
—— plasma; method for detection of iodinated comps. in, 81
—— plasma patterns of adrenal hormones: *see* Adrenal preps. & comps.
—— plasma patterns of thyroid hormones: *see* Thyroid preps. & comps.; Iodine
—— plasma; significance of nonprotein-bound cortisol in, 1484
—— potassium: *see* Potassium; Electrolytes
—— pressure: *see* Vascular system
—— prolactin activity in, 1095
—— protein-bound iodine: *see* Iodine
—— proteins: *see* Protein; Nitrogen
—— P-S chromogens in, 495
—— radioiodinated compounds: *see* Iodine, radioactive; Thyroid preps. & comps.
—— renal clearance: *see* Kidney
—— serotonin: *see* Serotonin
—— serum; abnormal iodoproteins in familial hypothyroidism with and without goiter, 205
—— serum concentration and thyroidal uptake rate of stable iodide; new method, 569
—— serum from hyperthyroid patients; effects indicating a thyroid activator, 380
—— serum in diabetes; abnormal insulin-binding fraction in, 1319
—— serum iodine; duration of increase in after ingestion of bunamiodyl (Orabilex), 1034
—— serum; resin sponge uptake of I^{131}-T_3 from, 1474
—— serum "thyroglobulin" in thyroidal carcinoma, 187
—— smears for det'n of genetic sex: *see* Sex, chromatin
—— steroids: *see* Adrenal preps. & comps.; Steroids
—— sugar: *see* Carbohydrate metabolism; Diabetes; Insulin
—— sulfate esters of 17-KS in, 900
—— thiocyanate: *see* Thiocyanate
—— "thyroglobulin": *see also* Thyroid preps. & comps.
—— thyroidal substances: *see* Thyroid preps. & comps.
—— thyrotropin, in hyperthyroidism foll'g pituitary stalk section, 1029
—— thyroxine-binding protein (TPB or TBG): *see* Thyroid preps. & comps.
—— triiodothyronine and other iodinated substances: *see* Thyroid preps. & comps.
—— TSH: *see also* Pituitary preps. & comps.
—— venous and arterial, of girl with nontoxic nodular goiter; compound with chromatographic mobility of T_3 in, 1373
BLOOD PRESSURE: *see* Vascular system
BONE: *see also* Calcium; Parathyroids
—— bone age of euthyroid children undergoing prolonged treatment with thyroxine, 1296
—— effect of conc. hydrocortisone acetate therapy on growth of, in CAH, 862
—— osteoporosis and Paget's disease; distribution of Ca^{45} after sustained i.v. infusion, 147
—— rickets, vitamin-D resistant; serum inorg. phosphorus in, 364
—— short metacarpal or metatarsal bones in subjects of normal height (familial), in Turner's syndrome and in p-pseudohypoparathyroidism, 466
BOOK REGISTER, 144, 337, 492, 663, 803, 917, 1202, 1537, 1643
BRAIN: *see also* Mental, Nervous system; Stress
—— cerebellar ataxia, familial, assoc'd with Klinefelter's syn.; EEG, 1184
—— cerebrospinal fluid and serum serotonin in case of metastatic bronchial carcinoid +pituitary adenoma; effect of reserpine, 298
—— cerebrospinal fluid gamma globulin conc. in myxedema; effect of thyroid, 869
—— CNS arousal, acute; metabolic and cardiovascular changes during, 1333
—— hypothalamic control of ACTH in patients with pituitary stalk section?, 157
—— hypothalamic-pituitary-adrenal system; integrity of re steroid withdrawal syndrome, 339
—— hypothalamus at autopsy in case of selective hypopituitarism (deficiency of basophils), 1269
—— hypothalamus in case of hypoadrenotropism, 1017
—— hypothalamus in L.-Moon syndrome, 683
—— hypothalamus; tumors in region of; polyuria and diabetes insipidus after operation for, 1614
—— phenothiazine (SKF 5354-A) in treatment

BRAIN (*cont'd.*)
of psychiatric patients; amenorrhea and high serum cholesterol produced by, 641
—— pyramidal lesion in two cases of Graves' disease; effect of antithyroid drugs, 876
—— tuber cinereum; hamartoma of in boy with precocious puberty and epilepsy; EEG; hormone assays, 1286
BREAST: *see also* Ovary
—— cancer; effect of pituitary stalk section on adrenal function in, 157
—— cancer; hypophysectomy for; persistent thyroid function after, 1051
—— cancer; mastectomy and hypophysectomy for; changes in female sexuality after, 833
—— cancer (postmenopausal); renal clearance of HPG, 1437
—— carcinoma; urinary metabolites of estradiol-4-C^{14} in, 719
—— gynecomastia and interstitial-cell tumor of the testis, 1622
—— gynecomastia during stilbestrol therapy in boy with precocious puberty, 1286
—— gynecomastia: *see also* Testis
—— metastatic cancer; effects of 17α-methyl-19-nortestosterone in women with, 842
—— metastatic cancer; suppression of pit. gonadotropins by 17-ethynyl-19-nortestosterone in, 529
—— metastatic carcinoma; PBI in progressive *vs.* cured cases, 477
—— oxytocin: *see* Pituitary preps. & comps.
—— prolactin activity in human blood, 1095
—— tenderness in normal males given estrogen, 495
BRONCHI: *see* Lungs and Bronchi
BUCCAL smears, for estimation of sex chromatin: *see* Sex
BULBAR conjunctiva: *see* Eyes
BUNAMIODYL (Orabilex): *see* Iodine
BUTANOL-EXTRACTABLE IODINE (BEI): *see* Iodine; Thyroid
BUTANOL-INSOLUBLE IODINE (BII): *see* Iodine; Thyroid

C^{14}: *see* Radioactive
CACHEXIA: adrenal function in, 675
CALCIUM: *see also* Bone; Parathyroids
—— Ca^{45}; distribution of after sustained i.v. infusion, 147
—— hypercalciuria foll'g admin. of human growth hormone, 1427
—— metabolism re short metacarpal or metatarsal bones, 466
—— of serum before and after op. for hyperparathyroidism; study of T_mP, 1136
CANCER: *see also* under organ involved
—— adrenocortical adenoma; steroid content of, 1168
—— carcinoid, bronchial, with high levels of serum and CSF serotonin and pituitary adenoma, 298
—— carcinoma with cachexia; adrenal function in, 675
—— choriocarcinoma: *see* Pregnancy
—— malignancy of solid large-cell versus giant-cell ca. of thyroid, 1280
CANCER (*cont'd.*)
—— metastasis from interstitial-cell tumor of testis, 1622
—— metastatic mammary ca.; PBI in progressive *vs.* cured cases, 477
—— of adrenals: *see also* Adrenal disorders; Cushing's syn.
—— of breast: *see* Breast
—— of esophagus in case of selective hypopituitarism, 1269
—— of hypophysis: *see* Pituitary disorders
—— of thyroid, *see* Thyroid disorders
—— patients bilat'y adrenalectomized for: *see* Adrenal (disorders)
—— patients hypophysectomized for: *see* Pituitary (disorders)
CARBIMAZOLE; diagnostic I^{131} uptake test in patients receiving, 1601
CARBOHYDRATE METABOLISM: *see also* Diabetes; Insulin
—— blood glucose; effect of human growth hormone on, 1107
—— blood glucose in acute CNS arousal, 1333
—— blood sugar; effect of SU-4885 on in adrenal ca., 1234
—— blood sugar level in hypoadrenotropism, 1017
—— glucagon, hyperglycemic action of; effect of various steroids on, 700
—— glucose given with and without adrenal steroids; effect on Na and K excretion, 229
—— glucose tolerance in case of pheochromocytoma+AC hyperplasia; effect of surgery, 622
—— glucose tolerance tests in case of acute diabetes with remission, 473
—— glucose utilization; kinetics of in diabetic patients, 1120
—— in the thyroid gland, 1246
—— integrity of hypothalamic-pituitary-adrenal system tested by insulin-induced hypoglycemia in steroid-ACTH withdrawal patients, 339
—— relative effects of six AC steroids on; comparison with their effects on norepinephrine potentiation, 446
CARCINOID: *see* Cancer
CARCINOMA: *see* Cancer; and under organ involved
CARDIOVASCULAR: *see* Heart; Vascular system
CASTRATION: *see* Ovary; Testis
CATECHOLAMINES: *see* Adrenal preps. & comps., epinephrine, norepinephrine
CELLS
—— basophils of ant. pituitary in selective hypopituitarism, 1269
—— delta, of ant. pituitary; natural history, 952
—— determination of sex by nuclear chromatin pattern: *see* Sex
—— interstitial: *see* Testis
—— interstitial-cell stimulating hormone (ICSH): *see* Pituitary preps. & comps.
—— karyotypic analysis: *See* Sex
—— large-cell (solid) versus giant-cell carcinoma of thyroid, 1280
—— leukocytes; nuclear characteristics in relation to sex: *see* Sex

CELLS (*cont'd.*)
—— maturation of normal testes, and changes in undescended testes during puberty; histologic studies, 266, 286
—— mitochondria of thyroid cells in relation to distribution of citric acid cycle enzymes, 1246
—— mitotic activity; effect of 17-ethynyl-19-nortestosterone, 529
—— of bronchial carcinoid and of metastasis to eye, 298
—— of pituitary gland: see also Pituitary, physiology & pathology
—— of skin and buccal mucosa; sex chromatin pattern: *see* Sex
CENTRAL NERVOUS SYSTEM: *see* Brain; Nervous system
CEREBELLAR ATAXIA: *see* Brain
CEREBROSPINAL FLUID: *see* Brain
CHILDREN: *see also* Age; Congenital; Familial; Pregnancy, fetus; and under various endocrine disorders
—— adrenal hyperplasia, hypertensive, simple, and salt-losing; urinary steroids in, 929
—— adrenal hyperplasia, salt-losing; aldosterone excretion and response to ACTH and Na, 1004
—— adrenal hyperplasia, salt-losing, child with; effects at 18 mos. and 4 yrs. of age of progressive reduction of Na intake on steroid excretion and electrolyte balance, 214
—— aged ten; HPG excretion in, 306
—— boy with precocious puberty and tumor of tuber cinereum, 1286
—— boys aged six to sixteen years; maturation of testis; histologic study, 266
—— congenital adrenal hyperplasia: *see also* Adrenal disorders
—— congenital goitrous cretinism: *see* Thyroid disorders, hypothyroidism
—— cretinism and juvenile hypothyroidism: *see also* Thyroid disorders, hypothyroidism
—— delta cells of adenohypophysis in; natural history, 952
—— euthyroid; effect of prolonged thyroxine therapy on thyroid function in, 1296
—— familial hypothyroidism with and without goiter: *see* Familial
—— fetus: *see also* Pregnancy
—— growth hormone: *see* Pituitary preps. & comps.
—— male pseudohermaphrodite with feminizing testes; karyotypic analysis, 1608
—— newborn infants; excretion of free catecholamines by; role in neonatal adjustments, 1207
—— newborn infants; free and conjug. 17-OH-CS, 6β-hydroxycortisol, and other polar metabolites in urine of, 1066, 1080
—— newborn infants; 17-OH-CS excretion foll'g major surgery and admin. of ACTH, 1215
—— prolactin activity of blood, 1095
—— puberty, precocious: *see* Puberty; Ovary; Testis
—— puberty; undescended testes during; histologic study, 286
—— serum inorganic phosphorus values for; Iowa *vs.* North Carolina, 364
CHILDREN'S HOSPITAL OF PHILADELPHIA; courses in Pediatric Advances and Practical Hematology, 491
CHLORIDE (SALT): *see* Electrolytes; Sodium
CHOLESTEROL: *see also* Fat; Lipids
—— of serum after prolonged thyroxine therapy in euthyroid children, 1296
—— of serum in cirrhosis; effect of human growth on, 1107
—— of serum in women treated with 17α-methyl-19-nortestosterone, 842
—— serum level depressed in myxedema by oral sodium *d*-thyroxine, with no effect on BMR or ECG, 116
—— serum level elevated by SKF 5354-A, 641
CHORIOCARCINOMA: *see* Pregnancy
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy
CHROMAFFIN: *see also* Adrenals
—— chromaffin reaction in pheochromocytoma without cortisol, 1515
—— chromaffin tissue in the newborn re epinephrine and norepinephrine, 1207
CHROMATIN, nuclear: *see* Sex
CHROMATOGRAPHY: *see* Methods
CHROMOGENS, Porter-Silber: *see* Adrenal preps. & comps.; Steroids
CHROMOPHOBES: *see* Pituitary, physiol. & path.
CHROMOSOMAL INDICES: *see* Sex (nuclear chromatin pattern)
CHROMOSOMES: *see* Sex, karotypic
CHRONIC wasting diseases; adrenal function in, 675
CIBA AWARD: *see* Endocrine Society, awards
CIRRHOSIS: *see* Liver
CITRIC ACID
—— enzymes of citric acid cycle in thyroids from treated thyrotoxic patients, 1246
—— of serum in women treated with methyl-nortestosterone, 842
CLARK UNIVERSITY, Training Program for Steroid Biochemistry, 336
CLIMACTERIC: *see* Estrogens; Menstruation; Ovary
COLLOQUY: *see* Courses
CONDENSING ENZYME: *see* Enzymes
CONFERENCES: *see* Courses
CONGENITAL: *see also* Children; Familial; and under various endocrine disorders
—— adrenal hyperplasia: *see* Adrenal disorders
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— goiter; proteins in, 21
—— gonadal dysgenesis: *see* Ovary; Testis
—— hypophosphatemia: *see* Phosphorus
—— hypothyroidism: *see* Thyroid disorders, hypothyroidism
—— polydactyly in a case of L.-Moon syndrome, 683
CONGRESSES: *see* Courses
CONJUGATED STEROIDS: *see* Adrenal preps. & comps.; Steroids
CONJUNCTIVA: *see* Eyes
CONN'S syndrome: *see* Adrenal disorders
CONTENTS OF VOLUME 20, page i (December issue)
CONTRACTION TIME, muscular: *see* Muscle

CORTICOIDS; CORTICOSTEROIDS: *see* Adrenal preps. & comps.; Steroids
CORTICOSTERONE: *see* Adrenal preps. & comps.
CORTICOTROPIN (ACTH): *see* Pituitary preps. & comps., ACTH
CORTISOL: *see* Adrenal preps. & comps.
CORTISONE: *see* Adrenal preps. & comps.
COURSES; CONFERENCES; CONGRESSES: *see also* Grants
—— Clinical Uses of Radioiodine, Univ. of Texas Southwestern Medical School, 662
—— Colloquy on Advances in Internal Medicine, Univ. of Oklahoma, 143
—— Conference, Fourth International Goiter: *see* Am. Goiter Assoc.
—— Conference; Fourth National Cancer; Am. Cancer Soc., 336
—— Congress, International, on Rheumatoid Diseases, 1426
—— Congress of Internat. Diabetes Fed., 1426
—— Congress, Sixth International, Int. Medicine, Basle, 663
—— Endocrinology and Metabolism; Twelfth Postgraduate Assembly: *see* Endocrine Society
—— Endocrinology; First International Congress: *see* Endocrine Society
—— Gynecological Endocrinology, N. Y. Univ. P-G Medical School, 143, 1200
—— Laurentian Hormone Conference (program), 490
—— Pediatric Advances and Practical Hematology, Children's Hospital of Phila., 491
—— Pediatric Endocrinology and Genetics; State Univ. of New York, Upstate Medical Center, 1201
—— Symposium; Internat. Soc. of Cybernetic Medicine, 337
—— Symposium; Internat. Soc. of Neurovegetative Research, 337
—— Symposium on Recent Developments in Research Methods and Instrumentation, NIH, 1050
—— Symposium on Surgery of Endocrine Organs, N. Y. Univ. Medical Center, 1425
—— Symposium on Uterine Implantation of Ova, Brussels, Belgium, Internat. Fertility Assoc., 144
CREATINE; CREATININE: *see* Nitrogen
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHISM: *see* Testis
CUSHING'S SYNDROME: *see also* Adrenal disorders
—— ACTH-suppression tests in diagnosis, 1539
—— clinical application of ACTH test in, 593
—— corticosteroid excretion patterns, 17-KS and aldosterone in; effect of ACTH and adrenalectomy, 735, 751
—— cortisol excretion; effect of ACTH, 1360
—— development of in men with pulm. tuberculosis receiving prednisone and ACTH; steroid withdrawal syndrome, 339
—— diurnal variation in excretion of Na, K, Mg, 17-OH-CS and creatinine in; effect of cortisol on, 253
—— effect of 3β, 16α-dihydroxy-allopregnan-20-one and a spirolactone on steroid and electrolyte excretion, 729
CUSHING'S SYNDROME (*cont'd.*)
—— effect of various steroids on hyperglycemic action of glucagon in, 700
—— effect on aldosterone excretion and response to ACTH and Na, 1004
—— hyperplastic adrenal tissue; steroid production by *in vitro*, 457
—— *in vitro* secretion of steroids by adrenals in; effect of adrenalectomy, 765
—— metabolic effects of human growth hormone in, 1427
—— pregnancy foll'g bilat. adrenalectomy for; adrenal function in, 1493
—— significance of nonprotein-bound plasma cortisol in, 1484
—— with adrenal carcinoma; effect of an adrenal inhibitor (SU-4885), 1234
—— with bilateral adrenal hyperplasia due to increased secretion of ACTH?, 1259
—— with carcinoma of hypophysis and Addisonian pigmentation; effect of ACTH and hypophysectomy, 173
—— with hypertension; renal clearance of endogenous 17-OH-CS and creatinine in, 1445
—— with multinodular adrenals, 632
CYCLIC variation in HPG excretion, 1576

11-DEHYDROCORTICOSTERONE ACETATE: *see* Adrenal preps. & comps.
DEHYDROGENASES: *see* Enzymes
DEIODINASE: *see* Enzymes
DELTA CELL: *see* Pituitary, physiol. & path.
DE(S)OXYCORTICOSTEROIDS; DE(S)OXYCORTICOSTERONE; DE(S)OXYCORTISOL: *see* Adrenal preps. & comps.
DEXAMETHASONE: *see* Adrenal preps. & comps.
DIABETES INSIPIDUS: *see* Pituitary disorders
DIABETES MELLITUS: *see also* Carbohydrate metabolism; Insulin
—— acute diabetic episode (coma) with remission, 473
—— diabetic and normal pregnancy; estrogen excretion in, 805
—— glucose (sugar) tolerance tests: *see also* Carbohydrate metabolism
—— insulin; *see also* Insulin
—— kinetics of glucose utilization in, 1120
—— serum; abnormal insulin-binding fraction in resistant and responsive cases; electrophoresis on ion-exchange paper, 1319
3β,16α-DIHYDROXY-ALLOPREGNAN-20-ONE: *see* Adrenal preps. & comps.; Steroids
3α,17α-DIHYDROXYPREGNANE-11,20-DIONE-4-C^{14}; metabolism of in woman with leukemia, 1191
DIIODOTHYRONINE: *see* Thyroid preps. & comps.
DIIODOTYROSINE: *see* Thyroid preps. & comps.
2,3-DIMERCAPTOPROPANOL (BAL); effect on thyroid function, 13
DIURNAL
—— rhythm for HPG excretion; lack of in postmenopausal women, 306
—— variation in plasma 17-OH-CS; effect of ACTH on in Cushing's syn., 1259
—— variation of 17-OH-CS, Na, K, Mg and

DIURNAL (*cont'd.*)
creatinine in normal subjects and in treated adrenal insuff. and Cushing's syn., 253
DWARFISM: *see also* Growth; and under various endocrine disorders
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— gonadal dysgenesis: *see* Ovary; Testis
DYSGENESIS, gonadal: *see* Sex; Ovary; Testis

EDEMA: *see also* Kidney; Water
—— idiopathic edema; steroid production by adrenal tissue *in vitro*, 457
—— prominent, peripheral, assoc'd with primary aldosteronism due to adrenocort. ca.; effect of operation and DOC, 1158
EDITOR, Letters to: *see* Letters to the Editor
ELECTROCARDIOGRAM (ECG): *see* Heart
ELECTROENCEPHALOGRAM (EEG): *see* Brain
ELECTROLYTES: *see also* Calcium; Magnesium; Potassium; Sodium
—— effect of 3β,16α-dihydroxy-allopregnan-20-one and a spirolactone on, 729
—— electrolyte and water excretion; renal function; effect of ADH on in pregnancy, 581
—— electrolyte balance; effect of progressive reduction of sodium intake on in congenital, salt-losing ad. hyperplasia, 214
—— electrolyte excretion; modification of effects of aldosterone on by simult. admin. of corticosterone and hydrocortisone; relation to Conn's syn., 229
—— electrolyte metabolism; effect of a spirolactone on in p. mineralocorticoid excess, 1158
—— in case of Addison's disease with flexion contracture, 792
—— of serum in women treated with methylnortestosterone, 842
—— urinary Na, K and creatinine; early effects of desicc. thyroid, T_4 and T_3 on, 1384
—— urinary total solutes; relation to water diuresis in primary myxedema, 409
ELECTROPHORESIS: *see* Methods
EMOTIONAL STRESS; EMOTIONS: *see* Stress; Mental
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Insulin; Progesterone; Steroids; and under various endocrine glands
—— endocrinologic and metabolic effects of 17α-methyl-19-nortestosterone in women, 842
ENDOCRINE SOCIETY
ANNUAL MEETING
Forty-Second, Miami Beach, Fla., June 9–11, 1960
—— announcements of, 136, 330, 485, 650, 798, 905
—— program, 651
Forty-Third, New York, N. Y., June 22–24, 1961
—— announcements of, 1047, 1194, 1304, 1420, 1532, 1638
AWARDS (Fred Conrad Koch Award; Ciba Award; Ayerst Fellowship; Squibb Fellowship; Upjohn Scholar)
ENDOCRINE SOCIETY (*cont'd.*)
AWARDS (*cont'd.*)
For 1960
—— announcements of, 138, 332, 485, 657, 799, 906,
—— recipients of, 1041
For 1961
—— announcements of, 1047, 1194, 1304, 1421, 1533, 1639
FELLOWSHIPS: *see* Endocrine Society, Awards
FIRST INTERNATIONAL CONGRESS OF ENDOCRINOLOGY, Copenhagen, Denmark, July 18–23, 1960
—— announcements of, 140, 334, 489, 660, 801, 908
FRED CONRAD KOCH AWARD: *see* Endocrine Society, awards
JOURNAL OF CLINICAL ENDOCRINOLOGY AND METABOLISM: *see* Journal
OFFICERS, COUNCIL, PUBLICATIONS COMMITTEE, EDITORIAL BOARD AND EDITORS
For 1959–60: see general information pages, front advertising section, Jan.–June issues
For 1960–61: see Ibid., July–Dec. issues
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY AND METABOLISM (Twelfth), Madison, Wis., Oct. 24–28, 1960; sponsored jointly with the University of Wisconsin Medical School
—— announcements of, 660, 801, 908, 1049, 1196 (with program), 1306, 1423
PRESENTATION TO R.G. HOSKINS, 1046
SCHOLAR: *see* Endocrine Society, awards
ENDOCRINOLOGY
—— assemblies, conferences, congresses, meetings, symposia: *see* Endocrine Society; and under Announcements; Courses
—— courses in: *see* Courses
—— grants: *see* Endocrine Society; and under Grants
ENDOMETRIUM: *see* Menstruation; Uterus
ENZYMES
—— aconitase, fumarase, condensing enzyme, and isocitric, α-ketoglutaric, succinic, and malic dehydrogenase in sheep and human thyroid tissue, 1246
—— enzymatic defects in synthesis of cortisol in hypertensive adrenal hyperplasia, 929
—— enzyme activity of urine from newborn infants as affected by boiling the urine, 1066
—— deiodinase in leukocytes; deiodination of thyroxine by, 35
—— deiodination: *see also* Iodine; Thyroid preps. & comps.
—— β-glucuronidase hydrolysis of corticosteroid conjugates; effect of salicylate and of enzyme inactivation, 814
—— β-glucuronidase preparations (Ketodase *vs.* Glusulase); preferential cleavage re pregnanediol and pregnanetriol, 355
—— hyaluronidase; effect on pretibial myxedema, 825
—— phosphatase, alkaline, in women treated with methylnortestosterone, 842
EOSINOPHILS: *see* Blood; Pituitary preps. & comps., ACTH test

EPILEPSY: *see* Nervous system; Brain
EPINEPHRINE: *see* Adrenal preps. & comps.
ERYTHROCYTES: *see* Blood
ESSENTIAL HYPERTENSION: *see* Vascular system
ESTRADIOL; ESTRIN; ESTRIOL; ESTRONE: *see* Estrogens
ESTROGENS: *see also* Menstruation; Ovary; Progesterone; Pregnancy; Sex; Steroids; Uterus
—— and adrenocortical function, 495, 515
—— and various steroids; effect on hyperglycemic action of glucagon, 700
—— conjugated, and norethisterone (Norlutin); influence on HPG excretion in postmenopausal woman, 1576
—— effect on metabolism and protein binding of hydrocortisone, 515
—— estradiol-4-C^{14}; urinary metabolites of in mammary ca., 719
—— estradiol, estrone and estriol excretion; effect of ACTH, CG and testosterone on in myocardial infarction, 665
—— estriol, free, in blood plasma of mother and fetus, 647
—— estrogen therapy; effect on 17-KS in Stein-Leventhal syndrome, 1587
—— estrogen therapy; significance of non-protein-bound plasma cortisol during, 1484
—— estrogenic activity of 17-ethynyl-19-nortestosterone; suppression of pituitary gonadotropins by in breast cancer, 529
—— estrone employed as standard reference material in measuring HPG by mouse uterine response, 306
—— estrone, estradiol-17β and estriol in plasma and placental blood; discussion re method for estimation, 1633
—— ethinyl estradiol and estradiol benzoate; effect on AC steroid metabolism, 495
—— induction of estrogen secretion; sheep LH compared with HPG, 1059
—— stilbestrol; effect in boy with precocious puberty and tumor of tuber cinereum, 1286
—— urinary estrogens and 17-KS in feminizing adrenal tumor, 786
—— urinary estrogens (three fractions), 17-KS and 17-OH-CS in I-C tumor of testis with gynecomastia, 1622
—— urinary, in normal and diabetic pregnancy, 805
ESTRONE: *see* Estrogens
ETHINYL ESTRADIOL: *see* Estrogens
ETHISTERONE: *see* Progestins
17α-ETHYNYL-19-NORTESTOSTERONE (Norlutin): *see* Steroids; Progestins
ETIOCHOLANOLONE: *see also* Steroids
—— and etiocholanedione; metabolites of admin'd 17α-OH-progesterone in congenital ad. hyperplasia, 238
—— excretion in case of feminizing adrenal tumor, 786
—— excretion of in Stein-Leventhal syndrome; effect of various hormones and ovarian wedge resection on, 1587
EUNUCHISM; EUNUCHOIDISM: *see* Testis, disorders
EXOPHTHALMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eyes; Thyroid disorders, hyperthyroidism
EXOPHTHALMOS-PRODUCING SUBSTANCE: *see* Eyes; Pituitary preps. & comps.
EYES
—— bulbar conjunctival vessels; potentiation of vasoconstrictor action of topical norepinephrine on by certain topical AC hormones, 446
—— exophthalmos in relation to thyroid activator in hyperthyroidism, 380
—— exophthalmos-producing substance in serum, 712
—— malignant exophthalmos; effect of hyaluronidase; relation to treatment of pretibial myxedema, 825
—— malignant exophthalmos; pituitary stalk section for; hyperthyroidism following, 1029
—— metastasis of bronchial carcinoid to, 298
—— retinitis pigmentosa in case of L.-Moon syndrome, 683

FAMILIAL: *see also* Children
—— cerebellar ataxia assoc'd with Klinefelter's syn., 1184
—— colloid nodular goiter; defective iodination of tyrosine in, 881
—— family with several hypothyroid members with and without goiter; genetic basis for abnormal circ'g iodoproteins, 205
—— gonadal dysgenesis in two sisters, 1301
—— hypophosphatemia and vitamin-D resistant rickets; serum inorg. phosphorus as a discriminant in diagnosis, 364
—— hypothyroidism, 983
—— incidence of male pseudohermaphrodism with feminizing testes, 1608
—— short metacarpal or metatarsal bones in 6 persons of normal height in 2 families, 466
FAT: *see also* Cholesterol; Lipids
—— fatty acid (free) of plasma in acute CNS arousal, 1333
FATTY ACIDS: *see* Fat
FELLOWSHIPS: *see* Endocrine Society, awards; Grants
FEMALE; FEMINIZATION: *see* Ovary; Sex
FERTILITY: *see* Ovary; Pregnancy; Testis
FETUS: *see* Pregnancy; Children, newborn
FEVER: *see* Temperature
FINGERPRINT (biologic) method: *see* Methods
FIRST INTERNATIONAL CONGRESS OF ENDOCRINOLOGY: *see* Endocrine Society
FLEXION CONTRACTURES in Addison's disease, 792
FLUOROCORTISOL; FLUOROHYDROCORTISONE: *see* Adrenal preps. & comps.
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins
FOURTH INTERNATIONAL GOITER CONFERENCE: *see* American Goiter Assoc.
FRED CONRAD KOCH AWARD: *see* Endocrine Society, awards
FSH: *see* Gonadotropins
FUMARASE: *see* Enzymes

GALL BLADDER: *see* Liver and Gall bladder
GAMMA
—— cells: *see* Pituitary physiol. & path.
—— globulin: *see* Protein

GASTRO-INTESTINAL TRACT: *see also* Liver and Gall Bladder
—— anorexia nervosa; aldosterone excretion in, and response to ACTH and Na, 1004
—— gastrectomy; effect of testosterone on corticosteroids in, 919
—— gastric ulcer in case of selective hypopituitarism treated with corticosteroids, 1269
GENETIC: *see* Familial; Ovary; Testis; Sex
GLOBULIN: *see* also Protein
—— thyroxine-binding globulin (TBG): *see* Thyroid preps. & comps.
GLOMERULAR FILTRATION RATE: *see* Kidney
GLUCAGON: *see* Carbohydrate metab.
GLUCOCORTICOIDS: *see* Adrenal preps. & comps.
GLUCOSE: *see* Carbohydrate metab.; Diabetes; Insulin
β-GLUCURONIDASE: *see* Enzymes; Steroids
GLUSULASE: *see* Enzymes, β-glucuronidase
GLYCOSURIA: *see* Carbohydrate metab.; Diabetes
GOITER: *see* Thyroid disorders
GONADAL DYSGENESIS: *see* Ovary; Testis; Sex
GONADOTROPINS: *see also* Pituitary preps. & comps.; Pregnancy
—— chorionic; effect on estrogen excretion in myocardial infarction, 665
—— chorionic; role in iodine metabolism in pregnancy, 1
—— excretion in women made amenorrheic with SKF 5354-A, 641
—— FSH and ICSH in urine of boy with precocious puberty and tumor of tuber cinereum, 1286
—— gonadotropin standards; contamination of HPG with HCG, 1411
—— HCG therapy; effect on 17-KS in Stein-Leventhal syndrome, 1587
—— HPG compared with sheep LH, 1059
—— HPG excretion; cyclic variation, and effect of various sex steroids on, in a postmenopausal woman, 1576
—— HPG excretion measured by mouse uterine response, employing estrone as standard reference material, 306
—— HPG from urine of postmenopausal women; comparison of two new preparations of, 858
—— HPG; renal clearance in postmenopausal women; comparison with HCG in pregnant women, 1437
—— in hypoadrenotropism, 1017
—— in L.-Moon syndrome, 683
—— in relation to delta cells of adenohypophysis, 952
—— in women treated with 17α-methyl-19-nortestosterone, 842
—— nature and number of gonadotropins in human pregnancy urine, 1225
—— pituitary gonadotropins; suppression of by 17-ethynyl-19-nortestosterone in metastatic ca. of breast, 529
—— post partum in bilat. adrenalectomized woman, 1493
—— urinary, in I-C tumor of testis with gynecomastia, 1622
—— urinary, in syndrome of nonfunctional ovaries, genital infantilism and negative chromatin pattern; lack of response to admin. of CG, 327
—— urinary, in two cases of atypical Turner's syn., 780
GONADS: *see* Ovary; Testis
GOUT: *see also* Uric acid
—— man with gout and myxedema; effect of Tri-prop. on serum uric acid, cholesterol, and BMR, 1457
GRANTS
—— awards: *see* Endocrine Soc.; Am. Goiter A.; Am. Urological A.
—— community cancer demonstration project grants, NIH, 336
—— fellowships: *see* Endocrine Society
—— grant-in-aid; Am. Society for Study of Sterility, 1425
—— grants of purified steroids and hormones: *see* National Institutes of Health
—— Training Programs for Endocrinology; University of Wisconsin Graduate School, 1201
—— Training Program for Steroid Biochemistry, NIH, 336
—— Training Program in Physiology of Reproduction, Worcester Foundation, 1308
—— scholarship: *see* Endocrine Society
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children; and under endocrine disorders involved
—— hormone: *see* Pituitary preps. & comps.
GYNECOMASTIA: *see* Breast

HAIR
—— hirsutism in woman with pheochromocytoma plus AC-hyperplasia; effect of unilat. adrenalectomy, 622
—— hirsutism, simple; relation to pituitary-adrenal axis, 967
—— hirsutism; urinary ketosteroids and pregnanetriol in, 180
—— hirsutism: *see also* Adrenal disorders; Cushing's syn.; Virilization
—— proportions of bare and hairy scalp; effect of castration in adolescent and young adult males, 1309
—— Stein-Leventhal syndrome; urinary 17-KS (three groups) in, 1587
HAMARTOMA: *see* Tumors
HASHIMOTO'S THYROIDITIS: *see* Thyroid disorders
HCG (human chorionic gonadotropin) *see* Gonadotropins
HEART: *see also* Vascular system
—— cardiomegaly in case of Klinefelter's syn. with cerebellar ataxia; ECG, 1184
—— cardiovascular changes during acute CNS arousal, 1333
—— ECG and BMR unaffected but serum cholesterol level depressed by oral sodium *d*-thyroxine, 116
—— myocardial infarction: effect of ACTH, CG and testosterone on excretion of various estrogens in, 665
—— myocardial infarction; effect on serum PBI, 415

HEAT; HEATING: *see* Temperature
HEMATOCRIT: *see* Blood
HEMOGLOBIN: *see* Blood
HEREDITY: *see* Congenital; Familial
HERMAPHRODISM: *see* Adrenal disorders; Ovary; Testis; Sex
HIRSUTISM: *see* Hair; Adrenal disorders; Cushing's syn.; Virilization
HORMONES: *see also* Adrenal preps. & comps.; Androgens; Estrogens; Endocrine; Gonadotropins; Insulin; Progesterone; Steroids; and under various endocrine glands
—— available, National Institutes of Health, 142, 1050
HUMAN
—— gonadotropin (HCG) (HPG): *see* Gonadotropins
—— growth hormone: *see* Pituitary preps. & comps.
HYALURONIDASE: *see* Enzymes
HYDATIDIFORM MOLE: *see* Pregnancy
HYDROXYCORTISOL: *see* Adrenal preps. & comps.
HYDROCORTISONE: *see* Adrenal preps. & comps.
17-HYDROXYCORTICOSTEROIDS: *see* Adrenal preps. & comps.
5-HYDROXY-3-INDOLE ACETIC ACID: *see* Urine, indoluria
17-HYDROXYPROGESTERONE: *see* Progesterone
HYPERALDOSTERONISM: *see* Adrenal disorders
HYPERBILIRUBINEMIA: *see* Liver and Gall bladder
HYPERGLYCEMIA: *see* Carbohydrate metab.; Diabetes
HYPERTENSION: *see* Vascular system
HYPERTHECOSIS: *see* Ovary
HYPERTHYROIDISM: *see* Thyroid disorders; hyperthyroidism
HYPERTRICHOSIS: *see* Hair (hirsutism)
HYPERURICEMIA: *see* Uric acid
HYPOADRENOTROPISM: *see* Pituitary disorders
HYPOGENITALISM: *see* Ovary; Testis; Pituitary, disorders
HYPOGLYCEMIA: *see* Carbohydrate metab.; Diabetes; Insulin
HYPOGONADISM: *see* Ovary; Testis; Pituitary, disorders
HYPOMETABOLISM: *see* Basal metabolism; Thyroid disorders
HYPOPARATHYROIDISM: *see* Parathyroids
HYPOPHYSECTOMY: *see* Pituitary
HYPOPHYSIS: *see* Pituitary
HYPOPITUITARISM: *see* Pituitary disorders
HYPOTHALAMUS: *see* Brain
HYPOTHYROIDISM: *see* Thyroid disorders; hypothyroidism

ICSH (interstitial-cell stimulating hormone): *see* Gonadotropins; Pituitary preps. & comps.
IMMUNOLOGY: *see* Antibodies
INDEX TO VOLUME 20
—— author, 1645
—— subject, 1653
INDOLURIA: *see* Urine
INFANTS: *see* Children; Pregnancy, fetus
INFECTION
—— abscesses, sterile, at site of injection of conc. hydrocortisone acetate, 862
—— bacterial versus steroid-induced fever; species specificity, 898
—— tuberculosis: *see* Tuberculosis
INFERTILITY: *see* Ovary; Testis; Sex
INSULIN: *see also* Carbohydrate metab.; Diabetes
—— abnormal insulin-binding fraction in sera of diabetics; electrophoresis on ion-exchange paper, 1319
—— insulin-induced hypoglycemia used to evaluate integrity of hypothalamic-pituitary-adrenal system in steroid-ACTH withdrawal patients, 339
—— insulin-glucose tolerance test in patients with pituitary stalk section, 157
—— insulin-requiring diabetics; kinetics of glucose utilization in, 1120
—— requirements in case of acute diabetes with remission, 473
—— tolerance in hypoadrenotropism, 1017
INTERNATIONAL: *see* Courses (Congresses, Symposia)
INTERSEX: *see* Sex; Ovary; Testis
INTER-SOCIETY CYTOLOGY COUNCIL, Annual Meeting, 662
INTERSTITIAL-CELL STIMULATING HORMONE (ICSH): *see* Gonadotropins
INTERSTITIAL-CELL TUMOR: *see* Testis
INTESTINAL: *see* Gastro-intestinal tract
IODIDE: *see* Iodine
IODINATED: *see* Iodine
IODINE: *see also* Thyroid preps. & comps.
—— bunamiodyl (Orabilex); duration of increased serum PBI and total I after ingestion of, 1034
—— defective iodination of tyrosine a cause of nodular goiter?, 881
—— deiodination of thyroxine by leukocytes, 35
—— fluctuation of PBI in normal subjects over long periods, 415
—— insulin-I^{131}; abnormal binding fraction in sera of diabetics, 1319
—— iodide compartments of body in relation to thyroidal I^{131} uptake soon after I^{131} therapy, 1392
—— iodide goiter, 1526
—— iodide goiter; serum PBI, BEI, and I^{131} uptake, 57
—— iodinated and noniodinated proteins of the thyroid, 21
—— iodinated compounds in plasma; sensitive method for detection of; application to thyrotoxicosis, 81
—— iodinated compounds: *see also* Thyroid preps. & comps.
—— metabolism in hydatidiform mole and choriocarcinoma, 1
—— PBI and BMR; effect of T_3 in undemonstrated "metabolic insufficiency," 546
—— PBI and I^{131}; effect of epinephrine i.m. on, 436
—— PBI; early effects of desicc. thyroid, T_4 and T_3 on, compared with those of TSH, 1384
—— PBI; effect of TSH on, 556
—— PBI; effects of physical and emotional tensions and strains on, 415
—— PBI in Australian males and females with and without goiter, 389
—— PBI in metabolic insufficiency, 106

IODINE (*cont'd.*)
—— PBI in postmenopausal women with metastatic carcinoma of breast; progressive *vs.* cured cases, 477
—— PBI in thyroiditis foll'g admin. of TSH, 1521
—— PBI in various erythrocyte abnormalities, 1467
—— PBI of serum in I-C tumor of testis with gynecomastia, 1622
—— PBI; response to TSH in alcoholics, 609
—— stable iodide; serum conc. and thyroidal uptake rate in various states of thyroid function; new method, 569
—— stable iodocompounds in fluid from thyroid cyst and in serum, 1373
RADIOACTIVE
—— BII^{131} and PBI^{131} in choriocarcinoma and hydatidiform mole, 1
—— BII^{131} of serum in thyroid carcinoma; "thyroglobulin"; relation to intensity of radiation, 187
—— BII^{131} of serum; probable genetic basis for in familial hypothyroidism with and without goiter, 205
—— diagnostic ten-minute I^{131} uptake test in patients receiving antithyroid drugs, 1601
—— distribution in iodinated constituents of thyroid tissue in Graves' disease treated with methylthiouracil and iodide, 889
—— distribution in subcellular fractions of the thyroid, 21
—— I^{131} and I^{127} labeled iodinated compounds of serum and thyroid tissue in girl with nontoxic nodular goiter containing compound resembling T_3, 1373
—— I^{131} and KCNS used to test for defective iodination of tyrosine in nodular goiter, 881
—— I^{131} and PBI in case of selective hypopituitarism, 1269
—— I^{131} pattern in human serum and in rat tissues after admin. of thyroxine-I^{131} and epinephrine, 436
—— I^{131} uptake after admin. of T_3 in hyperthyroidism, 1416
—— I^{131} uptake and conversion ratio in thyroiditis foll'g admin. of TSH, 1521
—— I^{131} uptake and distribution in solitary thyroid nodules; effects of T_3 and TSH, 1401
—— I^{131} uptake and excretion before and after admin. of thyroxine, 1146
—— I^{131} uptake and excretion; method for measurement soon after I^{131} therapy, 1392
—— I^{131} uptake and PBI after hypophysectomy; scintigrams, 1051
—— I^{131} uptake and PBI after prolonged thyroxine therapy in euthyroid children, 1296
—— I^{131} uptake and PBI^{131} in cases of iodide goiter; radioautographs of thyroid tissue, 57
—— I^{131} uptake and PBI in hypoadrenotropism, 1017

IODINE (*cont'd.*)
RADIOACTIVE (*cont'd.*)
—— I^{131} uptake and PBI in thyroid-fed mice after i.v. injection of sera from hyperthyroid patients, *vs.* effect of TSH, 380
—— I^{131} uptake and PBI in women with amenorrhea and high serum cholesterol produced by SKF 5354-A, 641
—— I^{131} uptake; effect of BAL on, 13
—— I^{131} uptake; effects of several thyroxine analogues on, 401
—— I^{131} uptake in metabolic insufficiency, 106
—— I^{131} uptake in study of response to SCN and TSH, 47
—— I^{131} uptake, PBI and TBP in women treated with 17α-methyl-19-nortestosterone, 842
—— I^{131}-T_3 in blood, urine and liver, in Graves' dis., 68
—— I^{131}-T_3 labeling of RBC as index of thyroid function; improved hematocrit correction, 1366
—— I^{131}-T_3 sponge uptake *in vitro* and PBI of serum; effect of TSH on, 1474
—— I^{131}-T_3 uptake by RBC in various erythrocyte abnormalities, 1467
—— iodode, diiodotyrosine and thyroxine; *in vitro* metabolism of by placenta, 794
—— iodinated compound, butanol-insoluble, in plasma of a goitrous cretin, 894
—— iodotyrosines; defective dehalogenation of in congenital hypothyroidism, 983
—— radioactive chromatography for detection of iodinated comps. in plasma, 81
—— radioiodine uptake rates; diagnostic limits for, based on study of 1116 Australian subjects with and without goiter, 389
—— thyroidal and salivary I^{131}, and PBI in nongoitrous myxedema, 1037
—— used in new method for determining stable iodide in serum and thyroid, 569
IODOTHYRONINES: *see* Thyroid preps. & comps.; Iodine
IODOTYROSINES: *see* Thyroid preps. & comps.; Iodine
ION-EXCHANGE PAPER: *see* Methods
IRRADIATION: *see* Radioactive; Roentgen rays

JAUNDICE: *see* Liver and Gall bladder
JOURNAL OF CLINICAL ENDOCRINOLOGY AND METABOLISM
—— acknowledgment, 1049
—— contents of Vol. 20 (1960), page i, Dec.
—— Editorial Board, Editors, Publications Committee: *see* editorial page, front section, each issue
—— index, year 1960 (Vol. 20):
—— author, 1645
—— subject, 1653
—— Letters to the Editor: *see* Letters to the Editor
JUVENILE: *see* Children

KARYOTYPIC analysis of male pseudohermaphrodite with feminizing testes, 1608

KETODASE: *see* Enzymes, β-glucuronidase
17-KETOGENIC STEROIDS (17-KGS): *see* Adrenal preps. & comps.; Steroids
17-KETOSTEROIDS (17-KS): *see* Steroids, 17-ketosteroids; Adrenal preps. & comps.
KIDNEY: *see also* Urine
—— biopsy in primary mineralocorticoid excess; autopsy, 1158
—— diuresis: *see also* Pituitary disorders (diabetes insip.) and preps. & comps. (antidiuretic hormone); Water
—— glomerular filtration rate after admin. of water in primary myxedema; relation to excretion of creatinine, Na and total solute, 409
—— polyuria after operation for tumors in hypophysis and hypothalamus, 1614
—— renal and adrenal function in chronic wasting disease, 675
—— renal clearance of endogenous 17-OH-CS and creatinine in hypertension, 1445
—— renal clearance of pituitary gonadotropins in postmenopausal women, 1437
—— renal clearance rate in relation to I^{131} uptake, with and without antithyroid therapy, 1392
—— renal excretion rate of I^{131} before and after thyroxine, 1146
—— renal function in pregnancy; effects of ADH, 581
—— renal function in primary aldosteronism with edema, 1168
—— renal hypertension; excretion of pregnanetriol and pregnenetriol, 1503
—— renotropic effects of human growth hormone in disease, including chronic nephritis and uremia, 1107
—— thyroid metabolites in, foll'g admin. of thyroxine I^{131} with and without epinephrine to rats, 436
—— T_mP in hyperparathyroidism, 1136
—— urate excretion in myxedema and hyperthyroidism, 1457
KINEMOMETER TEST: *see* Tests
KLINEFELTER'S SYNDROME: *see* Testis; Sex
KOCH AWARD: *see* Endocrine Society, awards

LACTATION: *see* Breast
LAURENCE-MOON SYNDROME with germinal aplasia of testis, 683
LAURENTIAN HORMONE CONFERENCE, program, 490
LETTERS TO THE EDITOR, 327, 477, 480, 647, 792, 794, 898, 900 1034, 1037, 1191, 1294, 1296, 1301, 1411, 1416, 1526, 1527, 1633
LEUKEMIA: *see* Blood
LEUKOCYTES: *see* Blood; Sex, chromatin
LEYDIG CELLS: *see* Testis (interstitial cells)
LH: *see* Gonadotropins
LIPIDS: *see also* Cholesterol; Fat; Protein
—— lipid pattern of adrenal cortex in relation to vasopressin and oxytocin in post. lobe of pituitary, 947
—— lipolysis in relation to acute CNS arousal, 1333
LIVER AND GALL BLADDER
—— biliary metabolites of 4-C^{14}-progesterone, 1568
—— bilirubin and other liver function tests in women treated with methylnortestosterone, 842
—— cirrhosis; effect of estrogen on AC function in, 495, 515
—— cirrhosis; metabolic and renotropic effects of human growth in, 1107
—— citric acid cycle enzyme content of, re glucose catabolism, 1246
—— hepatic glucose output in relation to kinetics of glucose utilization, 1120
—— in relation to androgenic steroids that affect the action of glucagon, 700
—— infants with hyperbilirubinemia; effect of ACTH on urinary 17-OH-CS in, 1215
—— jaundice and intestinal ca.; thyroid metabolites in serum after thyroxine-I^{131} i.v., 436
—— thyroid metabolites in foll'g admin. of thyroxine-I^{131} with and without epinephrine to rats, 436
—— triiodothyronine-I^{131} in, after admin. to patients with Graves' dis.; liver/serum T_3 ratio, 68
LUNGS AND BRONCHI
—— bronchial carcinoid, functioning, metastatic; high levels of serum and CSF serotonin, indoluria, and pituitary adenoma, 298
—— pulmonary tuberculosis; adjunctive steroid-ACTH therapy causing Cushing's syn.; withdrawal syndrome; effect of pulmonary surgery on plasma cortisol level, 339
LUTEINIZING HORMONE (LH): *see* Gonadotropins

MAGNESIUM: *see also* Electrolytes: Sodium
—— diurnal variation in excretion of K, Na, Mg and 17-OH-CS in normal subjects and in treated adrenal insuff. and Cushing's syn.; effect of cortisol on, 253
MALE: *see* Testis; Sex
MAMMARY GLAND: *see* Breast
MASCULINIZATION: *see* Androgens; Virilization
MATERNAL: *see* Pregnancy
MATURATION: *see* Age
MAXIMUM tubular reabsorption of phosphate (T_mP): *see* Kidney; Phosphorus
MEETINGS: *see* Announcements; Courses
MENOPAUSE: *see* Menstruation; Ovary
MENSTRUATION: *see also* Estrogens; Progesterone; Ovary; Uterus
—— amenorrhea and high serum cholesterol produced by SKF 5354-A, 641
—— menstrual cycle and post menopause; HPG excretion, measured by mouse uterine response using estrone as reference material, 306
—— menstrual cycle; prolactin activity of blood during, 1095
—— normally menstruating females; urinary pregnanediol and -triol by different hydrolytic methods, 355

MENSTRUATION (*cont'd.*)
—— postmenopausal myxedematous women; hyperuricemia in, 1457
—— postmenopausal woman; influence of various sex steroids on HPG excretion in, 1576
—— postmenopausal woman with breast ca.; urinary metabolites of estradiol-4-C^{14} in, 719
—— postmenopausal women; comparison of two new preparations of HPG from urine of, 858
—— postmenopausal women; renal clearance of HPG in, 1437
—— postmenopausal women with metastatic ca. of breast; PBI in progressive *vs.* cured cases, 477
—— pre- and post-menopausal females, with and without goiter; diagnostic limits for thyroidal I^{131} uptake in, 389
MENTAL: *see also* Brain; Nervous system; Stress
—— human behavior; role of hormones, 833
—— mental retardation in case of L.-Moon syndrome, 683
—— mental retardation in familial goitrous cretinism, *see* Thyroid disorders, hypothyroidism
—— objective psychologic assessment of thyrotoxic patient; response to treatment, 120
—— physical and emotional tensions and strains; effects on serum PBI, 415
—— psychiatric patients; amenorrhea and high serum cholesterol produced by SKF 5354-A, 641
—— psychometric evaluation of the hypometabolic patient, 106
—— stress: *see* Stress
METABOLIC INSUFFICIENCY: *see* Basal metabolism; Thyroid disorders, hypothyroidism
METABOLISM: *see* Basal metabolism; Thyroid
METACARPAL bones: *see* Bone
METASTASIS: *see* Cancer; Tumors
METATARSAL bones: *see* Bone
METHIMAZOLE (Tapazole)
—— effect on enzymatic activity in thyroid homogenates, 1246
—— effect on signs of pyramidal lesion in two cases of Graves' disease, 876
METHODS: *see also* Tests
—— biologic fingerprint method for detection of contamination of HPG standards with HCG, 1411
—— combined estimation of cortisol and 11-desoxycortisol in plasma as Porter-Silber chromogens; effect of solvent volume and alkalinity of washes on recovery, 315
—— discussion of method for estimation of estrogen fractions in plasma and placental blood, 1633
—— dose-response curves for sheep LH *vs.* HPG, 1059
—— electrophoresis on ion-exchange resin paper for demonstration of abnormal insulin-binding fraction, 1319
—— estrone as standard reference material for measuring HPG by mouse uterine response, 306
—— for aldosterone in urine; factors affecting recovery, 1351
METHODS (*cont'd.*)
—— for analysis of data re glucose utilization in diabetes, 1120
—— for biologic characterization of HPG, 858
—— for estriol in blood plasma, 647
—— for free and conjugated 17-OH-CS, 6β-hydroxycortisol, and other polar metabolites in newborn infants; various factors affecting, 1066, 1080
—— for 17-KS in plasma, 900
—— for measuring I^{131} uptake and excretion soon after I^{131} therapy, 1392
—— for prolactin activity in human blood, 1095
—— for resin sponge uptake of I^{131}-T_3 from serum *in vitro*, 1474
—— for separation of progesterone metabolites in urine and bile, 1568
—— for serum conc. and thyroidal uptake rate of stable iodide, 569
—— for urinary metabolites of estradiol-4-C^{14}, 719
—— for urinary 5β-pregnane-3α,17α,20α-triol and Δ^5-pregnene-3β,17α,20α-triol, 1503
—— hydrolysis of corticosteroid conjugates; effect of salicylate and of enzyme inactivation on, 814
—— improved hematocrit correction for labeling RBC with I^{131}-T_3; effect of washings; equation for cell labeling, 1366
—— influence of method of hydrolysis on assay of pregnanediol and pregnanetriol in urine, 355
—— isolation of naturally occurring C_{21} steroid acetate and free tetrahydrocortisone from normal plasma, 1341
—— modified, for gamma globulin and total protein in CSF, 869
—— new method for determination of 11-desoxycorticosteroids, 1527
—— possible errors in det'n of RBC uptake of T_3; effect of variation in saline washes and temp., 480
—— sensitive, for detection of iodinated compounds in plasma, 81
—— use of carp to assay exoph.-producing substance, 712
17α-METHYL-19-NORTESTOSTERONE: *see* Androgens
METHYLTESTOSTERONE: *see* Androgens
METHYLTHIOURACIL: *see* Thiouracil
MINERALOCORTICOID EXCESS: *see* Adrenal disorders
MINERALOCORTICOIDS: *see* Adrenal preps. & comps.
MITOCHONDRIA: *see* Cells
MOLE, hydatidiform: *see* Pregnancy
MUCIN; MUCOPROTEIN: *see* Protein
MUCOSA, buccal; nuclear chromatin pattern: *see* Sex
MULTICENTRICITY of papillary adenocarcinoma of thyroid; influence on treatment, 130
MUSCLE
—— Achilles reflex; therapeutic index in hypothyroid alcoholics, 609
—— contraction time (Achilles reflex); paradoxical lengthening of in hypothyroid patients given small doses of *l*-triiodothy-

MUSCLE (*cont'd.*)
ronine, thyroxine and desicc. thyroid, 429
—— flexion contractures in Addison's disease; muscle biopsy, 792
—— muscle signs in Graves' disease with pyramidal lesion; effect of antithyroid drugs, 876
—— thyroid metabolites in, foll'g admin. of thyroxine-I^{131} with and without epinephrine to rats, 436
MYOCARDIAL: *see* Heart
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NATIONAL INSTITUTES OF HEALTH
—— community cancer demonstration project grants, 336
—— hormones available, 142
—— purified radioactive steroids available, 1050
—— Symposium on Recent Developments in Research Methods and Instrumentation, 1050
—— Training Program for Steroid Biochemistry, 336
NATRIURESIS: *see* Sodium
NEOPLASMS: *see* Cancer; Tumors; and under organ involved
NERVOUS SYSTEM: *see also* Brain; Mental; Stress
—— Achilles reflex prolonged in hypothyroid patients treated with small doses of thyroid hormones, 429
—— Achilles reflex; therapeutic index in hypothyroid alcoholics, 609
—— acute CNS arousal; metabolic and cardiovascular changes during, 1333
—— cerebellar ataxia: *see* Brain
—— epilepsy and precocious puberty in boy with tumor of tuber cinereum, 1286
—— neurologic signs of pyramidal lesion in Graves' disease; effect of antithyroid drugs, 876
NEWBORN: *see* Children; Pregnancy, fetus
NEW YORK
—— State University; Upstate Medical Center; postgrad. course on Pediatric Endocrinology and Genetics, 1201
—— University P-G. Medical Center; Symposium on Surgery of Endocrine Organs, 1425
—— University P-G. Medical School; courses in gynecological endocrinology, 143, 1200
NILEVAR: *see* Androgens, nortestosterone; Progestins
NITROGEN: *see also* Protein
—— blood urea nitrogen and serum uric acid in myxedema, 1457
—— creatinine clearance and adrenal function in chronic wasting disease, 675
—— creatinine clearance and urinary P(T_mP) in hyperparathyroidism, 1136
—— creatinine clearance in response to admin'd water in primary myxedema, 409
—— creatinine, endogenous, and 17-OH-CS; renal clearance of in hypertension, 1445
—— creatinine excretion; early effects of desicc. thyroid, T_4 and T_3 on, 1384
NITROGEN (*cont'd.*)
—— creatinine, 17-OH-CS and electrolytes; diurnal variation in excretion in normal subjects and in treated adrenal insuff. and Cushing's syn.; effect of cortisol on, 253
—— excretion; effect of progesterone on in pregnancy, 1561
—— hyperuricemia in myxedema, 1457
—— retention foll'g admin. of human growth hormone, 1427
—— urea, creatinine, albumin; effect of human growth hormone on in disease, 1107
NODULAR GOITER: *see* Thyroid disorders
NONPROTEIN-BOUND CORTISOL: *see* Adrenal preps. comps., cortisol
NONTOXIC GOITER: *see* Thyroid disorders
NORADRENALINE: *see* Adrenal preps. & comps., norepinephrine
NOREPINEPHRINE: *see* Adrenal preps. & comps.
NORETHANDROLONE (19-nortestosterone,17α-ethyl) (Nilevar): see Androgens; Progestins
NORETHISTERONE: *see* Progestins; Steroids
NORLUTIN (17α-ethynyl-19-nortestosterone; norethisterone): *see* Androgens; Progestins; Steroids
NORMAL Males and Females: *see* Sex; Ovary; Testis
NORMETHANDRONE: *see* Androgens
NORTESTOSTERONE: *see* Androgens
NOSE: polyps, nasal, in case of gynecomastia and I-C tumor of testis, 1622
NOTICES: *see* Endocrine Society; Journal; Am. Goiter A.; Courses; and under Announcements
NUCLEAR CHROMATIN PATTERN; det'n of sex by: *see* Sex
NUCLEAR MEDICINE, Society of; 1960 and 1961 meetings, 917, 1425

OBITUARY—Joseph W. Jailer, 1635
OCCULT PAPILLARY CARCINOMA of thyroid: 140 cases observed in 30-year period, 89
OKLAHOMA, University of; Colloquy on Advances in Internal Medicine, 143
OOPHORECTOMY: *see* Ovary
ORABILEX (bunamiodyl): *see* Iodine
ORCHIECTOMY: *see* Testis
OSTEOPOROSIS: *see* Bone
OVARY: *see also* Breast; Estrogens; Gonadotropins; Menstruation; Pregnancy; Progesterone; Sex; Uterus
—— amenorrhea: *see also* Menstruation; Pregnancy
—— castrated or postmenopausal women; endocrinologic and metabolic effects of 17α-methyl-19-nortestosterone in, 842
—— disorders secondary to hypopituitarism: *see also* Pituitary disorders
—— estrogens: *see* Estrogens
—— female sexuality after hypophysectomy with or without oophorectomy, for breast cancer, 833
—— females (Australian), with and without goiter; diagnostic limits for I^{131} uptake with age, 389
—— feminizing adrenal tumor; urinary 17-KS and estrogens, 786

OVARY (*cont'd.*)
—— feminizing testes syndrome in male pseudohermaphrodite; karyotypic analysis, 1608
—— gonadal dysgenesis; ovaries and chromatin-negative pattern in somatic cells; atypical Turner's syn., 780
—— gonadal dysgenesis; steroid production by adrenal tissue *in vitro*, 457
—— gonadotropin: *see* Gonadotropins
—— menstrual cycle and disorders: *see also* Menstruation
—— normal females; effect of estrogen on adrenocortical function in, 495, 515
—— normal females; serum inorganic phosphorus in, 364
—— normal females: *see also* Sex
—— normal women; HPG excretion in, 306
—— oophorectomized and adrenalectomized women with breast cancer; effect of ethynyl-nortestosterone on gonadotropins in, 529
—— oophorectomized woman following hypophysectomy; prolactin activity of blood in, and in female rats, 1095
—— ovarian response curve (rat) to HCG, 1225
—— ovarian response to LH *vs.* HPG, 1059
—— pregnanediol and pregnanetriol excretion: *see* Pregnanediol; Pregnanetriol
—— progesterone: *see* Progesterone
—— sex chromatin patterns: *see also* Sex
—— syndrome of nonfunctional ovaries, genital infantilism, negative chromatin pattern; associated congenital anomalies; HPG, pregnanediol and 17-KS excretion, 327
—— syndrome of polycystic ovaries and hyperthecosis (Stein-Leventhal); urinary 17-KS (three groups) in; effect of various hormones and ovarian wedge resection on, 1587
—— Turner's syndrome; short metacarpal bones in 1 of 10 cases, 466
—— two sisters with gonadal dysgenesis, male nuclear pattern in skin and mucosa and female characteristics in leukocytes, 1301
—— woman, postmenopausal; influence of various sex steroids on HPG excretion in, 1576
—— women made amenorrheic with SKF 5354-A; gonadotropins, serum cholesterol and I^{131} uptake in, 641
—— women, postmenopausal; characterization of urinary gonadotropin, 858
—— women, postmenopausal, normal and diseased; renal clearance of HPG in, 1437
—— women, postmenopausal, with metastatic mammary ca.; PBI in progressive *vs.* cured cases, 477
OVULATION: *see* Menstruation; Ovary
OXYGEN: *see also* Basal metabolism
—— consumption and thyroxine deiodination by human leukocytes, 35
OXYLONE: *see* Steroids
OXYTOCIN: *see* Pituitary preps. & comps.

PAGET'S DISEASE: *see* Bone
PANCREAS: *see* Carbohydrate metab.; Diabetes; Insulin
PANHYPOPITUITARISM: *see* Pituitary disorders
PAPILLARY CARCINOMA: *see* Thyroid disorders
PARATHYROIDS: *see also* Bone; Calcium
—— adenoma; distribution of Ca^{45} after sustained i.v. infusions, 147
—— hyperparathyroidism; T_mP in, 1136
—— pseudo-pseudohypoparathyroidism with short metacarpals, no tetany, female sex chromatin; effect of Parathormone and calcium infusion test, 466
PBI: *see* Iodine
PERCHLORATE: *see* Potassium
PERSONALITY: *see* Mental
PHENOTHIAZINE, trifluoromethylated (SKF 5354-A); amenorrhea and elevated serum cholesterol produced by, 641
PHEOCHROMOCYTOMA: *see* Adrenal disorders
PHOSPHATASE: *see* Enzymes; Phosphorus
PHOSPHORUS: *see also* Bone; Calcium; Parathyroids
—— excretion; effect of progesterone on in pregnancy, 1561
—— metabolism; effect of human growth hormone, 1107
—— of plasma and urine; early effects of desicc. thyroid, T_4 and T_3 on, compared with those of TSH, 1384
—— of serum and urine in comparison of effects of T_3 and TSH in normal men, 556
—— of serum in castrated versus normal young males, in study of baldness, 1309
—— phosphatase: *see* Enzymes
—— retention foll'g admin. of human growth hormone, 1427
—— serum inorganic phosphorus; normal range of; utility as discriminant in diagnosis of congenital hypophosphatemia, 364
—— T_mP in hyperparathyroidism, 1136
PHYSICAL STRESS: *see* Stress
PIGMENT: *see also* Adrenal disorders, Addison's disease
PIGMENT
—— absence of pigmentation in severe adrenal insufficiency due to lack of pituitary ACTH, 1269
—— Addisonian pigmentation in case of Cushing's syn. with ca. of hypophysis, 173
—— bilirubin: *see* Liver and Gall bladder
—— hyperpigmentation lacking in hypoadrenotropism, 1017
PIROMEN: *see* Pyrogen
PITRESSIN: *see* Pituitary preps. & comps. (antidiuretic hormone, vasopressin)
PITUITARY
DISORDERS
—— adenoma in case of bronchial carcinoid with elevated serum and CSF serotonin; effect of reserpine, 298
—— carcinoma with Cushing's syn. and Addisonisn pigmentation; effect of ACTH & hypophysectomy, 173
—— hypoadrenotropism; the isolated deficiency of adrenotropic hormone, 1017
—— hypophysectomized adrenalect'd patients; corticosteroid excretion pattern in, 751

PITUITARY (*cont'd.*)
DISORDERS (*cont'd.*)
—— hypophysectomized myxedematous male; effect of T_3 on urate excretion and serum uric acid, 1457
—— hypophyectomized oophorectomized woman (and female rats); prolactin activity of blood in, 1095
—— hypophysectomized patient; effect of estrogen on AC steroids in, 495
—— hypophysectomized women; changes in sexuality, 833
—— hypophysectomized women; urinary steroid pattern; effect of ACTH, 534
—— hypophysectomy; persistent thyroid function after, 1051
—— hypopituitarism and acromegaly; effect on aldosterone excretion and response to ACTH and Na, 1004
—— hypopituitarism from pituitary stalk section for malignant exophthalmos; hyperthyroidism following, 1029
—— hypopituitarism; metabolic and renotropic effects of human growth hormone in, 1107
—— hypopituitarism; metabolic effects of human growth hormone in, 1427
—— hypopituitarism, selective, with deficiency of ant. pituitary basophils; effect of ACTH and steroid therapy; autopsy, 1269
—— hypopituitarism; SU-4885 reserve test; excretion of 11-DO-CS, 1527
—— panhypopituitarism with secondary myxedema; differentiation from primary myxedema by diuretic response to admin'd water, 409
—— pituitary stalk section for cancer of the breast; effect on adrenal function, 157
—— the pituitary in the L.-Moon syndrome, 683
—— tumors; ACTH-suppression tests in patients with, 1539
—— tumors of hypophysis; polyuria and diabetes insipidus after operation for, 1614
GONADOTROPINS: *see* Gonadotropins
PHYSIOLOGY & PATHOLOGY
—— autopsy data in patients remaining euthyroid after hypophysectomy, 1051
—— basophils; deficiency of, in selective hypopituitarism; autopsy, 1269
—— delta (also gamma, alpha, beta and chromophobe) cells of adenohypophysis in childhood, adulthood and pregnancy, 952
—— effect of pituitary stalk section on adrenal function; hypothalamic control of ACTH, 157
—— histology of, in boy with precocious puberty and tumor of tuber cincereum, 1286
—— hypothalamic-pituitary-adrenal system; integrity of, re steroid withdrawal syndrome, 339
—— normal at post mortem in case of hypoadrenotropism, 1017
—— pituitary-adrenal axis in simple hirsutism, 967

PITUITARY (*cont'd.*)
PHYSIOLOGY & PATHOLOGY (*cont'd.*)
—— pituitary reserve; test for, using i.v. SU-4885; method for 11-DO-CS, 1527
—— suppression tests in diagnosis of Cushing's syn., 1539
PREPARATIONS & COMPOUNDS
Adrenocorticotropic Hormone (*ACTH*)
—— ACTH reserve foll'g prolonged admin. of ACTH, assessed by SU-4885, 1294
—— ACTH reserve; test for, using i.v. SU-4885; method for 11-DO-CS, 1527
—— ACTH suppression tests in diagnosis of Cushing's syn., 1539
—— ACTH test; clinical application of; weakness main symptom, 593
—— deficiency of ACTH in hypoadrenotropism; effect of ACTH therapy, 1017
—— effect on adrenal function in chronic wasting disease, 675
—— effect on corticosteroids, 17-KS and aldosterone in adrenocort. hyperfunction, 735
—— effect on excretion of cortisol in Cushing's syn., 1360
—— effect on excretion of 17-OH-CS in the newborn, 1215
—— effect on excretion of three 17-KS fractions in Stein-Leventhal syndrome, 1587
—— effect on *in vitro* secretion of steroids by hyperfunctioning adrenal tissue, 765
—— effect on 17-KS and 17-KGS in Cushing's syn. plus ca. of hypophysis, 173
—— effect on 17-OH-CS before and after unilat. adrenalectomy for pheochromocytoma + AC hyperplasia, 622
—— effect on renal clearance of 17-OH-CS in hypertension, 1445
—— effect on steroid excretion in hypertensive adrenal hyperplasia, 929
—— effect on steroid excretion in simple hirsutism, 967
—— effect on steroid excretion in testosterone-treated surgical patients, 919
—— effect on steroid levels in bilat. adrenalectomized pregnant woman, 1493
—— effect on steroid levels in prim. mineralocort. excess, 1158
—— effect on steroid metabolism in Cushing's syn. with multinodular adrenals, 632
—— effect on steroids released by normal and diseased adrenal tissue slices, 1515
—— effect on sulfate esters of 17-KS in plasma, 900
—— effect on syndrome due to pituitary stalk section; hypothalamic control, 157
—— effect on urinary estrogens in myocardial infarction, 665
—— failure of secretion; selective hypopituitarism with deficiency of ant. pituitary basophils; effect of ACTH, 1269

PITUITARY (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
Adrenocorticotropic Hormone (*cont'd.*)
—— increased secretion of, as possible cause of Cushing's syn. with bilat. ad. hyperplasia; studies with infused ACTH, 1259
—— infusion of ACTH; effect on cortisol metabolism in estrogen-treated normal subjects, 495
—— initial effects on urinary steroid pattern in hypophysect'd women, 534
—— response to, as effected by abnormalities in pituitary, adrenal of thyroid function, 1004
—— restriction of Na and admin. of ACTH; effect on aldosterone and electrolyte excretion in child with salt-losing ad. hyperplasia, 214
—— zinc-corticotropin and prednisone causing Cushing's syn. in tubercular men; withdrawal syndrome; ACTH and insulin test, 339
Pituitary Hormones (*General*)
—— antidiuretic hormone; effect on renal hemodynamics and water and electrolyte excretion in pregnancy, 581
—— antidiuretic hormone; relation to water diuresis in primary myxedema, 409
—— exophthalmos-producing substance (and TSH) in serum, 712
—— FSH (follicle-stimulating hormone): *see also* Gonadotropins
—— gonadotropic hormones: *see also* Gonadotropins
—— growth hormone, human, and of other species, including whale; metabolic effects in man, 1427
—— human growth hormone; metabolic and renotropic effects in disease, 1107
—— human pituitary gonadotropin: *see* Gonadotropins
—— prolactin activity in human blood, 1095
—— TSH and SCN; response of thyroid gland to, 47
—— TSH and T_3; comparison of early metabolic effects; BMR and serum P, 556
—— TSH; early metabolic effects compared with those of desicc. thyroid, T_3 and T_3, 1384
—— TSH; effect compared to that of sera from hyperthyroid patients, 380
—— TSH; effect in patients remaining euthyroid after hypophysectomy, 1051
—— TSH; effect on distribution of I^{131} in solitary thyroid nodules, 1401
—— TSH; effect on *in vitro* resin sponge uptake of I^{131}-T_3 and PBI, 1474
—— TSH; effect on PBI in alcoholics, 609
—— TSH in serum in case of hyperthyroidism foll'g pituitary stalk section, 1029
—— TSH; thyroiditis foll'g admin. of, 1521
—— vasopressin and oxytocin in post. lobe of the pituitary, 947
PLACENTA: *see* Gonadotropins, chorionic; Pregnancy
POLYCYSTIC OVARIES: *see* Ovary
POLYCYTHEMIA VERA: *see* Blood
POLYDACTYLY: *see* Congenital
POLYURIA: *see* Urine
PORTER-SILBER CHROMOGENS: *see* Adrenal preps. & comps.; Steroids
POSTERIOR PITUITARY EXTRACT: *see* Pituitary preps. & comps., ADH, post. pit. extract, vasopressin
POSTGRADUATE
—— Assembly in Endocrinology and Metabolism: *see* Endocrine Society
—— courses: *see* Courses
POSTMENOPAUSAL: *see* Menstruation; Ovary
POST PARTUM: *see* Pregnancy
POTASSIUM: *see also* Electrolytes; Sodium
—— balance in primary aldosteronism with edema, 1168
—— diurnal variation in excretion of K, Na, Mg and 17-OH-CS in normal subjects and in treated adrenal insuff. and Cushing's syn.; effect of cortisol on, 253
—— effect of 3β,16α-dihydroxy-allopregnan-20-one and a spirolactone on, 729
—— effect of restricted sodium intake on in congenital salt-losing adrenal hyperplasia; balance data, 214
—— excretion; effect of ADH on in pregnancy, 581
—— excretion; effect of progesterone on in pregnancy, 1561
—— excretion; modification of effects of aldosterone on by simult. admin. of corticosterone and hydrocortisone; relation to potassium wastage in Conn's syn., 229
—— iodide in study of iodide goiter, 57
—— metabolism; effect of a spirolactone on in P. mineralocorticoid excess, 1158
—— of serum and aldosterone excretion in essential hypertension, 1351
—— perchlorate; effect on enzymes in thyroid homogenates, 1246
—— perchlorate; thyroid blocked with in study of I^{131} uptake soon after I^{131} therapy, 1392
—— retention foll'g admin. of human growth hormone, 1427
—— thiocyanate: *see* Thiocyanate
—— urinary; diurnal variation, 229
—— urinary; relation to water diuresis in primary myxedema, 409
PRECOCIOUS PUBERTY: *see* Ovary; Puberty; Sex; Testis
PREDNISONE; PREDNISOLONE: *see* Adrenal preps. & comps.
PREGNANCY: *see also* Estrogens; Gonadotropins; Menstruation; Ovary; Progesterone
—— choriocarcinoma and hydatidiform mole; iodine metabolism in, 1
—— chorionic gonadotropin: *see also* Gonadotropins
—— delta and gamma cells of adenohypophysis in, 952
—— effect on metabolic influence of progesterone, 1561

PREGNANCY (*cont'd.*)
—— HCG in urine; contamination of HPG standards with, 1411
—— lactation: *see also* Breast
—— maternal and cord plasma; free estriol in, 647
—— nature and number of gonadotropins in, 1225
—— near term and post partum; renal function and water and electrolyte excretion; effect of ADH on, 581
—— normal and diabetic; estrogen excretion in, 805
—— pattern (biphasic curve) of pregnanetriol excretion during; possible change in site of precursor, 355
—— placenta; *in vitro* metabolism of iodide, diiodotyrosine and thyroxine by, 794
—— placental (cord) blood; method for estimation of estrogens in, 1633
—— pregnanediol; pregnanetriol: *see also* Pregnanediol; Pregnanetriol
—— pregnant bilat. adrenalect'd woman; adrenal function in; role of placenta, 1493
—— pregnant woman with sickle-cell trait in RBC; uptake of I^{131}-T_3 by erythrocytes, 1467
—— progesterone; progestins: *see also* Progesterone; Progestins
—— prolactin activity of blood in lactating postpartum woman, 1095
—— renal clearance of HCG in compared with that of HPG in postmenopausal women, 1437
—— significance of nonprotein-bound plasma cortisol in, 1484
—— with and without hyperthyroidism; *in vitro* resin sponge uptake of I^{131}-T_3 from serum, 1474
PREGNANEDIOL: *see also* Progesterone; Pregnancy; Adrenal preps. & comps.
—— and allopregnanediol in urine and bile after admin. of progesterone, 1568
—— excretion; effect of progesterone on in pregnancy, 1561
—— excretion in hypophysect'd women, 534
—— excretion in syndrome of nonfunctional ovaries, genital infantilism and negative chromatin pattern, 327
PREGNANETETROL; excretion of in case of adrenal ca. treated with SU-4885, 1234
PREGNANETRIOL: *see also* Progesterone; Pregnancy; Adrenal preps. & comps.
—— and DHA excretion in hypophysect'd women, 534
—— excretion in congen. adrenal hyperplasia treated with conc. hydrocortisone ac., 862
—— excretion in Cushing's syn. with multinodular adrenals, 632
—— excretion in hypertensive adrenal hyperplasia, 929
—— four isomers of in urine after admin. of 17α-OH-progesterone in congenital ad. hyperplasia, 238
—— pattern of excretion during pregnancy, 355
—— 5β-pregnane-3α,17α,20α-triol; method for determination in urine, 1503
PREGNANETRIOL (*cont'd.*)
—— urinary, and ketosteroids, in hirsutism, 180
PREGNANOLONE in urine and bile after admin. of progesterone, 1568
PREGNENETRIOL: *see also* Progesterone; Pregnancy; Adrenal preps. & comps.
—— Δ^5-pregnene-3β,17α,20α-triol; method for determination in urine, 1503
PRESENTATION TO R. G. HOSKINS: *see* Endocrine Society
PRETIBIAL MYXEDEMA: *see* Thyroid disorders, hypothyroidism
PROGESTERONE: *see also* Estrogens; Menstruation; Ovary; Pregnancy; Progestins; Steroids
—— and various related steroids; effect on hyperglycemic action of glucagon, 700
—— 4-C^{14}-progesterone; biliary and urinary metabolites of, 1568
—— 17α-hydroxyprogesterone; metabolism of, and relation to congenital ad. hyperplasia, 238
—— metabolic influence of; effect of pregnancy on, 1561
—— pattern of metabolite excretion during pregnancy in relation to change in site of precursor, 355
—— pregnanediol; pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— progestational steroid (norethisterone, Norlutin); influence on HPG excretion, 1576
PROGESTINS
—— ethisterone and related steroids; effect on action of glucagon, 700
—— progestational steroid (norethisterone); influence on HPG excretion, 1576
PROGRAMS: *see* Endocrine Society (Annual Meeting; Postgrad. Assembly); Am. Goiter A.; Laurentian Hormone Conf.
PROLACTIN: *see* Pituitary preps. & comps.
PROPYLTHIOURACIL: *see* Thiouracil
PROTEIN: *see also* Nitrogen; Uric Acid
—— binding in iodide goiter, 57
—— fractions in ion-exchange paper electrophoresis of serum from diabetics, 1319
—— gamma globulin and total protein concentration of CS fluid and serum in myxedema; effect of thyroid, 869
—— globulin, thyroxine-binding (TBG), *see* Iodine; Thyroid
—— iodoproteins, abnormal circulating; genetic basis for in familial hypothyroidism with and without goiter, 205
—— iodoproteins (re albumin and globulins) in thyroid carcinoma, 187
—— metabolism; effect of progesterone on in pregnancy, 1561
—— mucoprotein in lesions of pretibial myxedema; effect of hyaluronidase or glucocorticoids on, 825
—— nonprotein-bound plasma cortisol; significance of, 1484
—— protein binding of adrenocortical steroids, 495, 515
—— proteins of normal and diseased thyroids, 21

PSEUDOHERMAPHRODISM: *see* Ovary; Testis; Sex
PSEUDOHYPOPARATHYROIDISM: *see* Parathyroids
PSEUDO-PSEUDOHYPOPARATHYROIDISM: *see* Parathyroids; Bone
PSYCHIATRIC: *see* Mental
PSYCHOLOGIC; PSYCHOMETRIC: *see* Mental
PSYCHOSIS: *see* Mental
PUBERTY
—— normal: *see* Children; Ovary; Testis
—— precocious, in boy with tumor of tuber cinereum; hormone studies, 1286
—— precocious: *see also* Adrenal disorders; Ovary; Testis
PUBLIC HEALTH SERVICE: *see* National Institutes of Health
PUERPERIUM: *see* Pregnancy
PYRAMIDAL LESION: *see* Brain
PYROGENS: *see* Temperature

RADIATION: *see* Radioactive; Roentgen rays
RADIOACTIVE
—— 4-C^{14} and tritium-labeled AC steroids; effect of estrogen on metabolism of, 495, 515
—— Ca^{45}: *see* Calcium
—— cortisol-4-C^{14}: *see* Adrenal preps. & comps.
—— 3α,17α-dihydroxypregnane-11,20-dione-4-C^{14}; metabolism of, in woman with leukemia, 1191
—— estradiol-4-C^{14}: *see* Estrogens
—— I^{131}: *see also* Iodine, radioactive
—— progesterone-4-C^{14}: *see* Progesterone
—— purified radioactive steroids available, Nat. Institutes of Health, 142, 1050
—— relation of intensity of I^{131} radiation to conc. of thyroglobulin in serum, 187
—— thyroxine and triiodothyronine: *see* Thyroid preps. & comps.
RADIOIODINE: *see* Iodine, radioactive
RADIO-THYRONINES, THYROXINE AND TYROSINES: *see* Thyroid preps. & comps.; Iodine, radioactive
RECIPIENTS OF AWARDS: *see* Endocrine Society; Am. Goiter A.
REMISSION of acute diabetic episode, 473
RENAL: *see* Kidney; Urine
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Sex; Testis
RESERPINE; effect on serum serotonin and indoluria in case of bronchial carcinoid with elevated serum and CSF serotonin, 298
RESIN SPONGE uptake of triiodothyronine-I^{131} from serum *in vitro*, 1474
RHEUMATOID ARTHRITIS: *see* Arthritis
RICKETS: *see* Bone
ROENTGEN RAYS
—— bunamiodyl (Orabilex) used in roentgenography; duration of increased serum PBI after ingestion of, 1034
—— irradiation of pituitary in Cushing's syn.; effect on ACTH-suppression test, 1539
—— short metacarpal or metatarsal bones, 466
—— therapy for metastasis from I-C tumor of testis, 1622
—— therapy in case of Cushing's syn. with ca. of hypophysis, 173
—— therapy in occult papillary ca. of thyroid, 89

SALICYLATE; effect on β-glucuronidase hydrolysis of corticosteroid conjugates, 814
SALIVARY GLAND
—— salivary and thyroidal I^{131} in nongoitrous myxedema, 1037
—— thyroid metabolites in, foll'g admin. of thyroxine-I^{131} to rats, 436
SALT: *see* Sodium; Electrolytes
SC-8109: *see* Spirolactones
SCALP: *see* Hair
SCHOLAR, UPJOHN: *see* Endocrine Society
SEMINIFEROUS TUBULE DYSGENESIS: *see* Testis
SEROTONIN; elevated levels in serum and CSF in case of functioning metastatic bronchial carcinoid+pituitary adenoma; effect of reserpine on indoluria, 298
SERUM: *see* Blood
SEX: *see also* Androgens; Estrogens; Ovary; Progesterone; Testis
—— chromatin negative pattern in association with ovaries; gonadal dysgenesis, 780
—— chromatin negative pattern in syndrome of nonfunctional ovaries and genital infantilism, 327
—— chromatin pattern in a case of L.-Moon syndrome with aplasia of testis, 683
—— distribution in patients with occult papillary ca. of thyroid, 89
—— female chromatin pattern in girl with pseudo-pseudohypoparathyroidism and short metacarpals, 466
—— female chromatin pattern in Klinefelter's syn. assoc'd with familial cerebellar ataxia, 1184
—— gonadal dysgenesis: *see also* Ovary; Testis
—— in relation to delta cells of adenohypophysis, 952
—— in relation to vasopressin and oxytocin in post. lobe of pituitary, 947
—— karyotypic analysis of male pseudohermaphrodite with feminizing testes, 1608
—— male nuclear pattern in cells of skin and mucosa, and female characteristics in leukocytes in 2 sisters with gonadal dysgenesis, 1301
—— males and females (Australian) with and without goiter; diagnostic limits for I^{131} uptake with age, 389
—— males and females normal; effect of estrogens on adrenocortical function in, 495, 515
—— males and females; serum inorganic phosphorus curves, 364
—— males and females with myxedema; serum uric acid and BUN levels, 1457
—— men; scalp hair, 1309
—— normal boys; puberal maturation of testis, 266
—— normal males and females; HPG excretion measured by mouse uterine response employing estrone as reference material, 306
—— normal men and women; prolactin activity of blood, 1095
—— normal men; duration of increased serum PBI and total I after ingestion of bunamiodyl, 1034

SEX (*cont'd.*)
—— normal men: *see also* Testis
—— normal women: *see also* Ovary
—— sexuality, female; changes in after hypophysectomy, 833
—— two men with Hashimoto's thyroiditis, 1037
SEXUAL PRECOCITY: *see* Adrenal disorders; Ovary; Puberty, precocious; Testis
SEXUALITY: *see* Sex; Ovary; Testis
SKF 5354-A: *see* Phenothiazine
SKIN: *see also* Hair; Pigment; and re various diseases
—— acne in boy with precocious puberty; effect of stilbestrol, 1286
—— acne in cases of Cushing's syndrome; *see* Cushing's syn.
—— acne in woman with pheochromocytoma plus AC hyperplasia; effect of unilat. adrenalectomy, 622
—— nuclear chromatin pattern: *see* Sex
SODIUM: *see also* Electrolytes; Potassium
—— balance in primary aldosteronism with edema, 1168
—— depletion in hypopituitarism due to lack of ACTH, 1269
—— deprivation; response to, as affected by abnormalities in pituitary, adrenal or thyroid function, 1004
—— diurnal variation in excretion of Na, K, Mg and 17-OH-CS in normal subjects, treated adrenal insuff., and Cushing's syn.; effect of cortisol on, 253
—— effect of 3β,16α-dihydroxy-allopregnan-20-one and a spirolactone on, 729
—— excretion; effect of ADH on in pregnancy, 581
—— excretion; effect of progesterone on in pregnancy, 1561
—— excretion in response to admin'd water in primary myxedema, 409
—— excretion; modification of effects of aldosterone on by simult. admin. of corticosterone and hydrocortisone; relation to Conn's syn., 229
—— hydroxide wash; loss in assay of aldosterone due to, 1351
—— metabolism; effect of a spirolactone on, in p. mineralocorticoid excess, 1158
—— natriuresis-promoting and DOC-inhibiting factor in urine of child with salt-losing ad. hyperplasia, 214
—— of serum and aldosterone excretion in essential hypertension, 1351
—— progressive reduction of sodium intake; effects on adrenal steroid excretion and electrolyte balance in congenital ad. hyperplasia (salt-losing); balance data, 214
—— salt retention (Na/K ratio); relative effects of 6 AC steroids on; comparison with their effects on norepinephrine potentiation, 446
—— sodium chloride metabolism; effect of human growth hormone on, 1427
—— sodium-retaining substances: *see also* Adrenal preps. & comps.
SOLVENT VOLUME; effect on recovery of comps. S and F from plasma, 315
SPECIES
—— difference in regard to growth hormone, 1427
—— difference (rats and man) in thyroidal response to BAL, 13
—— potencies of thyroxine analogues tested in rat, tadpole and man, 401
—— specificity of steroid-induced fever, 898
SPERMATOZOA: *see* Testis
SPIROLACTONES
—— SC-8109; effect in primary mineralocorticoid excess, 1158
—— SC-8109; effect on electrolyte and steroid metabolism (aldosterone), 729
SPONGE: *see* Resin sponge
SQUIBB FELLOWSHIP: *see* Endocrine Society, awards
STEIN-LEVENTHAL SYNDROME: *see* Ovary; Syndromes
STERILITY: *see* Menstruation; Pregnancy; Ovary; Testis
STEROIDS: *see also* Adrenal preps. & comps; Androgens; Estrogens; Progesterone
—— adrenal steroids: *see also* Adrenal preps. & comps.
—— aldosterone: *see* Adrenal preps. & comps.
—— androgens: *see* Androgens
—— available; training program in biochemistry of; Nat. Institutes of Health, 142, 1050
—— corticoids; corticosteroids: *see also* Adrenal preps. & comps.
—— cortisone: *see* Adrenal preps. & comps.
—— determination of: *see* Methods
—— 3β,16α-dihydroxy-allopregnan-20-one; effect on electrolyte excretion, 729
—— estrogens: *see* Estrogens
—— 17α-ethynyl-19-nortestosterone (norethisterone; Norlutin), conj. estrogens and m. testosterone; influence on HPG excretion in a postmenopausal woman, 1576
—— 17-ethynyl-19-nortestosterone; suppression of pit. gonadotropins by in breast cancer, 529
—— fluorocorticoids: *see* Adrenal preps. & comps.
—— hydrocortisone: *see* Adrenal preps. & comps.
—— 17-hydroxycorticosteroids: *see* Adrenal preps. & comps.
—— infused steroids; effect of estrogen on biologic half-life, 495, 515
—— 17-ketogenic steroids and cortisol; excretion in Cushing's syn.; response to ACTH, 1360
—— 17-ketogenic steroids: *see also* Adrenal preps. & comps.
—— 17-ketosteroids (17-KS): *see also* separate sections under Steroids; and Adrenal preps. & comps.
—— naturally occurring C_{21} steroid acetate and free tetrahydrocortisone isolated from normal plasma, 1341
—— oxylone (9α-fluorometholone) in adrenal suppression test, 735

STEROIDS (*cont'd.*)
—— pregnanediol; pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— progesterone: *see* Progesterone
—— recovered from urine after ingestion of 3α,17α-dihydroxypregnane-11,20-dione-4-C^{14}; 1191
—— sex steroids: *see* Androgens; Estrogens; Progesterone
—— steroid excretion pattern in hypophysectomized women; initial effects of ACTH, 534
—— steroid-induced fever; species specificity of, 898
—— steroid production by human adrenal adenomata and nontumorous adrenal tissue *in vitro*, 457
—— steroid production during admin. of SU-4885, 1234
—— steroid withdrawal syndrome; mechanism of; integrity of hypothalmic-pituitary-adrenal system, 339
—— studies in steroid metabolism; excretion of pregnane-3α,17α,20α-triol during pregnancy; influence of method of assay, 355
—— total free 17,21-dihydroxy-20-ketosteroids in plasma; more accurate estimation of, 315
—— Training Program in Biochemistry of, Nat. Inst. of Health, 142
—— urinary steroid pattern in pregnant bilat. adrenalect'd woman, 1493
—— various; effect on hyperglycemic action of glucagon, 700
17-KETOSTEROIDS
—— and 17-KGS; effect of ACTH and hypophysectomy on, in ca. of pituitary with Cushing's syn., 173
—— effect of ACTH on in adrenocort. hyperfunction, 735
—— effect of conc. hydrocortisone acetate on in CAH, 862
—— effect of estrogens on in normal males and females, 495
—— effect of testosterone on in surgical trauma, 919
—— effects of pyrogen and ACTH on foll'g pituitary stalk section, 157
—— excretion; effect of sodium restriction on in congen. salt-losing ad. hyperplasia, 214
—— excretion in syndrome of nonfunctional ovaries, genital infantilism and negative chromatin pattern, 327
—— in bilat. adrenalect'd woman, preop., during pregnancy, and post partum, 1493
—— in boy with precocious puberty and tumor of tuber cinereum, 1286
—— in case of pheochromocytoma plus AC hyperplasia; effect of surgery, 622
—— in castrated versus young males, in study of baldness, 1309
—— in Cushing's syndrome with multinodular adrenals, 632
—— in hypertensive congen. adrenal hyperplasia, 929
STEROIDS (*cont'd.*)
17-KETOSTEROIDS (*cont'd.*)
—— in simple hirsutism, 967
—— in two cases of atypical Turner's syn. 780
—— in women treated with 17α-methyl-19-nortestosterone, 842
—— sulfate esters of, in plasma, 900
—— three groups of (A+E; DHA and 11-oxy) in the syndrome of polycystic ovaries and hyperthecosis; effect of various hormones and ovarian wedge resection on, 1587
—— three 17-KS metabolites; effect of SU-4885 on, 1234
—— urinary ketosteroids, etiocholanolone, androsterone, and pregnanetriol in hirsutism, 180
—— urinary 17-KS and estrogens in feminizing adrenal tumor, 786
—— urinary 17-KS, 17-OH-CS and estrogens in I-C tumor of testis with gynecomastia, 1622
—— urinary pattern in congenital ad. hyperplasia after admin. of 17α-OH-progesterone, 238
STILBESTROL: *see* Estrogens
STRESS: *see also* Mental; Surgery
—— adrenal response to in patients with pituitary stalk section, 157
—— in relation to vasopressin and oxytocin in post. lobe of pituitary, 947
—— physical and emotional tensions and strains; effects on serum PBI, 415
—— trauma, surgical; effect of testosterone on corticosteroids in, 919
STRUMA LYMPHOMATOSA: *see* Thyroid, disorders
SU-4885: *see also* Amphenone
—— intravenous infusion of; 17-OH-CS of plasma during, 315
—— intravenously in test for pituitary reserve; new method for 11-DO-CS, 1527
—— studies with, in adrenal ca., 1234
—— used to test ACTH reserve after prolonged ACTH therapy, 1294
SUBJECT INDEX to Vol. 20, 1653
SUGAR: *see* Carbohydrate metab.; Diabetes; Insulin
SULFATE: *see* Sulfur
—— 2,3-dimercaptopropanol (BAL); effect on thyroid function, 13
—— methamizole: *see* Methimazole
—— sulfate esters of 17-KS in plasma; effect of ACTH, 900
—— thiocyanate: *see* Thiocyanate
—— thiouracil: *see* Thiouracil
SUPPRESSION tests: *see* Tests
SURGERY: *see also* under organ involved
—— adrenalectomized patients: *see* Adrenal disorders
—— as influenced by multicentricity of thyroidal papillary adrenocarcinoma, 130
—— castrates: *see* Ovary; Testis
—— effect on serum PBI, 415
—— hypophysectomized patients: *see* Pituitary disorders

SURGERY (*cont'd.*)
—— in occult papillary ca. of thyroid, 89
—— major surgery in the newborn; effect on 17-OH-CS excretion, 1215
—— operation for tumors in region of hypophysis and hypothalmus; polyuria after, 1614
—— pulmonary surgery; effect on plasma cortisol level, 339
—— surgical trauma; effect of testosterone on corticosteroids in, 919
—— surgically "cured" cases of metastatic mammary carcinoma *vs.* progressive cases; PBI in, 477
SYMPOSIA: *see* Courses
SYNDROME: *see also* various endocrinopathies
—— adrenogenital: *see* Adrenal disorders
—— Cushing's: *see* Cushing's syndrome
—— familial syndromes: *see also* Familial
—— feminizing testes in a male pseudohermaphrodite; karyotypic analysis, 1608
—— Klinefelter's: *see* Testis
—— Laurence-Moon, with germinal aplasia of testis, 683
—— metabolic insufficiency, *see* Basal metabolism; Thyroid disorders, hypothyroidism
—— nonfunctional ovaries, genital infantilism and negative chromatin pattern, 327
—— Stein-Leventhal (polycystic ovaries and hyperthecosis); urinary 17-KS (three groups) in; effect of various hormones and ovarian wedge resection on, 1587
—— steroid withdrawal syndrome; integrity of hypothalmic-pituitary-adrenal system, 339
—— Turner's, atypical; chromatin-negative pattern in association with ovaries, 780

TBG (thyroxine-binding globulin): *see* Thyroid preps. & comps.
TBP (thyroxine-binding protein): *see* Thyroid preps. & comps.
TEMPERATURE
—— basal body, during progesterone therapy in pregnancy, 1561
—— boiling; effect on enzyme activity in urine of newborn infants, 1066
—— fever, steroid-induced; species specificity of, 898
—— heating; effect on deiodination of DIT by tissue slices, 983
—— heating; effect on deiodination of thyroxine by leukocytes, 35
—— pyrogen (Piromen); effect following pituitary stalk section, 157
—— temperature of saline washes; effect on det'n of RBC uptake of T_3, 480
TEN-MINUTE UPTAKE: *see* Iodine, radioactive; Tests
TENSIONS AND STRAINS: *see* Stress; Mental
TERATOLOGY SOCIETY, founding, 1201
TESTIS: *see also* Androgens; Gonadotropins; Steroids
—— boy with tumor of tuber cinereum and precocious puberty; hormone studies; testis biopsy (spermiogenesis), 1286
TESTIS (*cont'd.*)
—— castration; effect in adolescent and young adult males upon further changes in proportions of bare and hairy scalp, 1309
—— chromosomal sex: *see* Sex
—— disorders secondary to hypopituitarism: *see* Pituitary disorders
—— germinal aplasia of, in case of L.-Moon syndrome, 683
—— interstitial-cell tumor of, with gynecomastia; hormonal excretion; orchiectomy; metastasis in 1 of 2 cases, 1622
—— male HPG; biologic fingerprint of, 1411
—— male pseudohermaphrodite with feminizing testes; karyotypic analysis, 1608
—— males (Australian), with and without goiter; diagnostic limits for I^{131} uptake with age, 389
—— man with feminizing adrenal tumor; urinary 17-KS and estrogens, 786
—— men with Hashimoto's thyroiditis; nongoitrous myxedema; biopsy of thyroid, 1037
—— normal males; cortisol excretion in, 1360
—— normal males; early metabolic effects of desicc. thyroid, T_4 and T_3, compared with those of TSH, 1384
—— normal males; effect of estrogen on adrenocortical function, 495, 515
—— normal males; serum inorganic phosphorus in, 364
—— normal males; significance of nonprotein-bound plasma cortisol in, 1484
—— normal males; *see also* Sex
—— normal men; comparison of early metabolic effects on T_3 and TSH in; BMR and serum P, 556
—— normal men; duration of increase in PBI after ingestion of bunamiodyl, 1034
—— normal men; effect of infused ACTH with and without dexamethasone, on plasma 17-OH-CS, 1259
—— normal men; HPG excretion in, 306
—— normal men; thyroiditis foll'g admin. of TSH in, 1521
—— puberal maturation of normal testis; histologic study, 266
—— seminiferous tubule dysgenesis (Klinefelter's syn.) assoc'd with familial cerebellar ataxia, 1184
—— undescended, during puberty; histologic study, 286
TESTOSTERONE and compounds: *see* Androgens; Steroids
TESTS: *see also* Methods
—— Achilles reflex test as therapeutic index in hypothyroid alcoholics, 609
—— ACTH test: *see* Pituitary preps. & comps., ACTH
—— ACTH-suppression tests in Cushing's syndrome, 1539
—— adrenal function: *see also* Adrenal
—— cytologic (chromatin) for genetic sex: *see* Sex
—— glucose (sugar) tolerance: *see* Carbohydrate metab.; Diabetes

TESTS (*cont'd.*)
—— insulin tolerance and ACTH tests in steroid-ACTH withdrawal patients, 339
—— insulin tolerance: *see also* Insulin
—— kinemometer; for degree of hypothyroidism by paradoxical muscular response to triiodothyronine, 429
—— pregnancy: *see* Gonadotropins (chorionic); Pregnancy
—— SU-4885 test of ACTH reserve, 1294
—— ten-minute diagnostic I^{131} uptake test in patients receiving antithyroid drugs, 1601
—— thyroid function: *see also* Thyroid; Iodine
—— thyroxine and triiodothyronine suppression tests: *see* Thyroid preps. and comps.
TETANY: *see* Calcium; Parathyroid disorders
TETRAC: *see* Thyroid preps. & comps.
TETRAHYDROCORTISOL (THF); TETRAHYDROCORTISONE (THE): *see* Adrenal preps. & comps.
TETRAIODOTHYROACETIC ACID (Tetrac): *see* Thyroid preps. & comps.
TEXAS, University of; Southwestern Medical School; Postgrad. Course in Clinical Uses of Radioiodine, 662
THALASSEMIA: *see* Blood
THIOCYANATE
—— of potassium; effect on enzymatic activity in thyroid homogenates, 1246
—— of potassium used to test for defective iodination of tyrosine in nodular goiter, 881
—— response of thyroid gland to; blood levels, 47
THIOURACIL
—— methylthiouracil and iodide; effect on iodinated constituents of thyroid tissue in Graves' disease, 889
—— propylthiouracil; diagnostic I^{131} uptake test in patients receiving, 1601
—— propylthiouracil; effect on resin sponge uptake of I^{131}-T_3 from serum in pregnancy with hyperthyroidism, 1474
—— propylthiouracil; effect on signs of pyramidal lesion in 2 cases of Graves' disease, 876
THYROGLOBULIN: *see* Thyroid preps. & comps.
THYROID: *see also* Antithyroid drugs; Iodine
DISORDERS
—— adenoma; effect of methylthiouracil and iodide on iodinated constituents of, 889
—— carcinoma; serum "thyroglobulin" in, 187
—— carcinoma; solid, large-cell versus giant-cell; characteristics, 1280
—— diseased thyroid glands; proteins in, 21
—— goiter; diagnostic limits for I^{131} uptake rates in, according to sex and age, 389
—— Hashimoto's disease; radioiodinated protein of serum in, 189
—— Hashimoto's thyroiditis in men; biopsy of thyroid, 1037
—— "hot" thyroidal nodules in euthyroid subjects; effects of thyroxine analogues on I^{131} uptake, 401

THYROID (*cont'd.*)
DISORDERS (*cont'd.*)
—— iodide goiter versus Hashimoto's thyroiditis, 57, 1526
—— nodular goiter and Hashimoto's struma tested for defective iodination of tyrosine, 881
—— nontoxic nodular goiter; formation and release of a compound with chromatographic mobility of triiodothyronine, effect of op., 1373
—— occult papillary carcinoma of thyroid; 140 cases observed in 30-year period, 89
—— papillary adenocarcinoma; multicentricity of; influence on treatment, 130
—— simple goiter; I^{131} uptake foll'g admin. of T_3 in, 1416
—— solitary nodules; I^{131} uptake and distribution; effect of T_3 and TSH, 1401
—— thyroiditis foll'g admin. of TSH, 1521
Hyperthyroidism (exophthalmic goiter; Graves' disease; thyrotoxicosis; toxic adenoma
—— Achilles reflex time in, 429
—— after section of pituitary stalk for malignant exophthalmos, 1029
—— basal metabolism; *see also* Basal Metabolism
—— binding coefficient for RBC uptake of I^{131}-T_3 *in vitro*, 1366
—— citric acid cycle enzymes in thyroid tissue from treated thyrotoxic patients; correlation with hyperplasia, 1246
—— diagnostic limits for I^{131} uptake rates in, 389
—— diagnostic ten-minute I^{131} uptake test in patients receiving antithyroid drugs, 1601
—— effect of BAL on I^{131} uptake in, 13
—— effects of thyroxine analogues on I^{131} uptake in, 401
—— exophthalmos: *see also* Eyes
—— exophthalmos-producing substance in serum, 712
—— further evidence for a thyroid activator in; I^{131}, PBI and TSH assays, 380
—— Graves' disease; effect of methylthiouracil and iodide on iodinated constituents of thyroid tissue in, 889
—— Graves' disease with pyramidal lesion; improvement with antithyroid drugs, 876
—— increased I^{131} uptake foll'g admin. of T_3 in, 1416
—— iodine in treatment and diagnosis: *see also* Iodine
—— leukocytes of thyrotoxic patients; respiration and deiodination of thyroxine by, 35
—— metabolism of T_3 in: liver/serum ratio, 68
—— plasma iodinated compounds in; sensitive method for detection of, 81
—— protein-bound iodine (PBI) of serum in: *see also* Iodine
—— radioactive iodine in study and treat-

THYROID (*cont'd.*)
DISORDERS (*cont'd.*)
Hyperthyroidism (*cont'd.*)
ment: *see also* Iodine, radioactive
—— radioiodinated protein in serum, 187
—— response of thyroid gland to SCN and TSH, 47
—— serum; resin sponge uptake of I^{131}-T_3 *in vitro* from, 1474
—— serum uric acid level in, 1457
—— solitary hyperfunctioning thyroid nodules; I^{131} uptake and distribution; effect of T_3 and TSH, 1401
—— stable iodide; serum conc. and thyroidal uptake rate, 569
—— thyroid-stimulating (thyrotropic) hormone (TSH) in: *see also* Pituitary preps. & comps.
—— thyroidal uptake of I^{131} in, before and after admin. of thyroxine; effect of antithyroid drugs, 1146
—— thyroidal uptake of I^{131} in: *see also* Iodine, radioactive
—— thyrotoxic levels of iodine metabolism in hydatidiform mole, 1
—— thyrotoxic patient; objective psychologic assessment; response to treatment, 120
—— thyroxine-I^{131} i.v.; metabolites in serum, 436
Hypothyroidism (*cretinism; myxedema*)
—— binding coefficient for RBC uptake of I^{131}-T_3 *in vitro*, 1360
—— congenital hypothyroidism with defective dehalogenation of iodotyrosines, 983
—— diagnostic limits for I^{131} uptake rates in, 389
—— effect on aldosterone excretion and response to ACTH and Na, 1004
—— family with several hypothyroid members with and without goiter; genetic basis for abnormal circ'g iodoproteins, 205
—— goitrous cretin; butanol-insoluble iodinated compound in plasma of, 894
—— leukocytes of hypothyroid patients; respiration and deiodination of thyroxine by, 35
—— metabolic effects of human growth hormone in, 1427
—— metabolic insufficiency studied with T_3 and T_4; psychometric evaluation, 106
—— metabolism of T_3 in, 68
—— mild degree of detected by kinemometer test; lengthening of muscle contraction time with triiodothyronine, 429
—— myxedema; depression of serum cholesterol level by oral sodium *d*-thyroxine, with no effect on BMR or ECG, 116
—— myxedema; gamma globulin conc. of cerebrospinal fluid in; effect of treatment, 869
—— myxedema, general and localized (pretibial); effect of thyroid analogues and glucocorticoids on structure of lesions, 825
—— myxedema; hyperuricemia in; effect of thyroid therapy, 1457
—— myxedema in assoc. with iodide goiter, 57
—— nongoitrous myxedema; biopsy of thyroid in, 1037
—— occurrence and treatment among alcoholics; also "euthyroid hypometabolism," 609
—— pretibial myxedema; exophthalmos-producing substance in serum, 712
—— primary myxedema; diuretic response to admin'd water in; diagnostic aid re secondary myxedema; effect of thyroid, 409
—— protein-bound iodine (PBI) of serum in: *see also* Iodine, radioactive
—— serum; resin sponge uptake of I^{131}-T_3 *in vitro* from; effect of TSH, 1474
—— stable iodide; serum conc. and thyroidal uptake rate, 569
—— thyroidal uptake of I^{131} in: *see also* Iodine, radioactive
—— thyroxine-I^{131} i.v.; metabolites in serum, 436
—— treated hypothyroid patients; effect of TSH on BMR in, 556
—— treatment of with thyroid compounds: *see also* Thyroid preps. & comps.
—— triiodothyronine in diagnosis and treatment; failure to demonstrate metabolic insufficiency syndrome, 546
—— TSH in serum, 380
PHYSIOLOGY & PATHOLOGY
—— a thyroid activator in hyperthyroidism; TSH assays, 380
—— antibodies: *see also* Antibodies
—— autoantibodies to thyroglobulin tested in 2 cases of familial hypothyroidism with and without goiter, 205
—— biopsy of thyroid in nongoitrous myxedema, 1037
—— derivation of thyroidal I^{131} uptake rate soon after I^{131} therapy, 1392
—— diagnostic limits for thyroidal I^{131} uptake rates, 389
—— function and binding of thyroxine in hydatidiform mole & choriocarcinoma, 1
—— function; effect of BAL on, 13
—— function; effect of mental and physical stresses on serum PBI, 415
—— function; improved hematocrit correction for I^{131}-T_3 labeling of RBC; binding coefficient *vs.* % uptake, 1366
—— function in alcoholics, 609
—— function in euthyroid children; effect of prolonged thyroxine therapy on, 1296
—— function in patients with amenorrhea and high serum cholesterol produced by SKF 5354-A, 641

THYROID (*cont'd.*)
PHYSIOLOGY & PATHOLOGY (*cont'd.*)
—— function; quantitative data with thyroxine suppression test, 1146
—— function; studies of: *see also* Pituitary preps. & comps. (TSH); Thyroid preps. & comps.
—— functional state of thyroid det'd by ten-minute I^{131} uptake, 1601
—— histologic picture in iodide goiter, 57
—— histologic structure of generalized *vs.* pretibial myxedematous lesions; effect of thyroid analogues and glucocorticoids, 825
—— histology of, in boy with precocious puberty, 1286
—— hormone formation and release as measured by serum conc. and thyroidal uptake rate of stable iodide, 569
—— hormone: *see also* Thyroid preps. & comps.; Iodine
—— large-cell tumor of thyroid; histology, 1280
—— multicentricity of papillary adenocarcinoma of thyroid, 130
—— nodular thyroid tissue and serum in NTG; T_3-like compound in, 1373
—— occult papillary carcinoma; 30-year study, 89
—— pathologic studies: *see also* Thyroid disorders
—— persistent thyroid function after hypophysectomy; scintigrams; autopsies, 1051
—— protein-bound iodine (PBI) of serum: *see also* Iodine
—— radioactive iodine in study of: *see also* Iodine, radioactive
—— response of the thyroid to SCN and TSH, 47
—— scintiscans of I^{131} distribution in solitary thyroid nodules; effect of T_3 and TSH, 1401
—— sheep and human thyroid tissue; tricarboxylic acid cycle enzymes in; carbohydrate metabolism, 1246
—— thyroid gland of boy with familial hypothyroidism and goiter; distribution of iodocompounds in, 205
—— thyroid-stimulating (thyrotropic) hormone (TSH): *see also* Pituitary preps. & comps.
—— thyroidal genetic defects as basis for serum BII in familial hypothyroidism with and without goiter, 205
—— thyroidal I^{131} uptake: *see also* Iodine, radioactive
—— thyroxine-binding protein or globulin (TBP or TBG) of serum: *see also* Thyroid preps. & comps.; Iodine; Protein
PREPARATIONS & COMPOUNDS
—— abnormal circulating iodoproteins (BII) in familial hypothyroidism with and without goiter, 205
—— butanol-insoluble iodinated compound in plasma of goitrous cretin, 894
—— compound with chromatographic mobility of T_3 in nontoxic nodular goiter and in serum, 1373

THYROID (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— daily hormone formation and release calc'd from thyroidal uptake of stable iodide, 569
—— desiccated thyroid; effect on water diuresis in primary myxedema, 409
—— desiccated thyroid, T_4 and T_3; early metabolic effects compared with those of TSH, 1384
—— I^{131} in study of: *see also* Iodine, radioactive
—— iodinated compounds: *see also* Iodine
—— iodinated constituents of thyroid tissue in Graves' disease; effect of methylthiouracil and iodide on, 889
—— iodinated tyrosines and other comps. in plasma; sensitive method for detection, 81
—— iodocompounds; distribution of in thyroid of a boy with familial hypothyroidism and goiter, 205
—— iodotyrosines; defective dehalogenation of in congenital hypothyroidism; effect of desicc. thyroid, 983
—— pattern of thyroid comps. in thyroids of rats treated with BAL, 13
—— saline extract of thyroid; cutaneous reaction to in nongoitrous myxedema, 1037
—— small doses of T_3, T_4 and desicc. thyroid; lengthening of muscle contraction time in hypothyroid patients treated with, 429
—— sodium *d*-thyroxine orally; depression of serum cholesterol without change in BMR or ECG, 116
—— TBG and TBP: *see also* Protein
—— TBP of serum in women treated with 17α-methyl-19-nortestosterone, 842
—— thyroglobulin; autoantibodies to, tested in 2 cases of familial hypothyroidism with and without goiter, 205
—— "thyroglobulin" of serum in thyroidal carcinoma; I^{131}-amino acids, 187
—— thyroid analogues; effect on general and pretibial myxedema, 825
—— thyroid compounds; effect in women hypophysectomized for breast cancer, 833
—— thyroid proteins in normal and diseased thyroids, 21
—— thyroid therapy; effect on CSF gamma globulin in myxedema, 869
—— thyroid-fed mice; I^{131} uptake and PBI after injection of sera from hyperthyroid patients, 380
—— thyroxine analogues (T_3, Triac, Tetrac, Trip); effects on I^{131} uptake; relative potencies, 401
—— thyroxine deiodination by human leukocytes, 35
—— thyroxine, diiodotyrosine and iodide; *in vitro* metab. of by placenta, 794
—— thyroxine-I^{131} given to humans and rats with and without epinephrine; thyroid metabolites in serum and in rat tissues, 436

THYROID (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— thyroxine or triiodothyronine in diagnostic ten-minute I^{131} uptake test in hyperthyroidism, 1601
—— thyroxine suppression test; quant. observations with, 1146
—— thyroxine therapy, prolonged; effect on thyroid function in euthyroid children, 1296
—— triiodothyronine and d. thyroid in treatment of hypothyroid alcoholics, 609
—— triiodothyronine and thyroxine in study of metabolic insufficiency, 106
—— triiodothyronine and TSH; comparison of early metabolic effects; BMR and serum P, 556
—— triiodothyronine and TSH; effect on distribution of I^{131} in solitary thyroid nodules, 1401
—— *l*-triiodothyronine-I^{131}; labeling of RBC with as index of thyroid function; improved hematocrit correction, 1366
—— *l*-triiodothyronine-I^{131}; RBC uptake of in various erythrocyte abnormalities, 1467
—— triiodothyronine-I^{131}; resin sponge uptake of from serum in thyroid disease and in pregnancy, 1474
—— triiodothyronine in diagnosis and treatment of hypothyroidism, 546
—— triiodothyronine; increased I^{131} uptake following, in hypothyroidism, 1416
—— triiodothyronine; metabolism of in Graves' dis., 68
—— triiodothyronine; possible errors in det'n of RBC uptake of, 480
—— triiodothyronine suppression tests in patients euthyroid after hypophysectomy, 1051
—— Tri-prop. and T_3; effect on urate excretion and serum uric acid in myxedema, 1457
—— tyrosine; defective iodination of a cause of nodular goiter?, 881
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary preps. & comps.
THYROIDITIS: *see* Thyroid disorders
THYRONINES: *see* Thyroid preps. & comps.
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (TSH): *see* Pituitary preps. & comps.
THYROXINE: *see* Thyroid preps. & comps.
THYROXINE-BINDING GLOBULIN (TBG) OR PROTEIN (TBP): *see* Thyroid preps. & comps.; Protein
TISSUE: *see also* under specific organ or system
—— cells: *see* Cells
—— parenchymal versus muscle, re effects of human growth hormone, 1427
—— slices: *see* organ involved
T_mP: *see* Kidney; Phosphorus
TOXIC ADENOMA; TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TRAINING PROGRAMS
—— for Endocrinology; Univ. of Wisconsin Grad. School, 1201
TRAINING PROGRAMS (*cont'd.*)
—— for Steroid Biochemistry, sponsored by Nat. Institutes of Health, 336
—— in Physiology of Reproduction; Worcester Foundation for Experimental Biology, 1308
TRAUMA: *see* Stress; Surgery
TRIAC: *see* Thyroid preps. & comps.
TRIAMCINOLONE: *see* Adrenal preps. & comps.
TRIIODOTHYROACETIC ACID (Triac): *see* Thyroid preps. & comps.
TRIIODOTHYRONINE (T_3): *see* Thyroid preps. & comps.
TRIIODOTHYROPROPIONIC ACID (Trip): *see* Thyroid preps. & comps.
TRIP; TRIPROP.: *see* Thyroid preps. & comps.
TSH: *see* Pituitary preps. & comps.
TUBER CINEREUM: *see* Brain
TUBERCULOSIS
—— in case of Cushing's syn. plus ca. of hypophysis and Addisonian pigmentation, 173
—— pulmonary; development of Cushing's syn. in 10 men receiving prednisone and ACTH; steroid withdrawal syndrome, 339
—— treated with chemotherapy and ACTH; test of ACTH reserve in, 1294
TUMORS: *see also* Cancer; and under organ involved
—— adrenal: *see also* Adrenal disorders; and Cushing's syn.
—— adrenocortical adenoma; steroid content of, 1168
—— function studied by I^{131}: *see* Iodine, radioactive
—— goiter: *see* Thyroid disorders
—— hamartoma of tuber cinereum in boy with precocious puberty and epilepsy, 1286
—— in region of hypophysis and hypothalamus; polyuria postoperatively, 1614
—— interstitial-cell: *see* Testis
TURNER'S SYNDROME: *see* Syndromes; Ovary
TYROSINE: *see* Thyroid preps. & comps.

UNITED STATES Public Health Service: *see* National Institutes of Health
UNIVERSITY: *see* under name of University
UPJOHN SCHOLAR: *see* Endocrine Society
UREA: *see* Nitrogen
UREMIA: *see* Kidney
URIC ACID: *see also* Nitrogen
—— hyperuricemia in myxedema; comparison with level in hyperthyroidism, 1457
URINE: *see also* Kidney; Water
—— adrenocortical metabolites: *see* Adrenal preps. & comps.
—— androgens: *see* Androgens; Steroids
—— androsterone plus etiocholanolone: *see* Steroids, 17-KS; Androgens
—— calcium: *see* Calcium; Electrolytes; Parathyroids
—— catechol amines: *see* Adrenal preps. & comps. (epinephrine, norepinephrine)
—— chloride: *see* Electrolytes; Sodium
—— chorionic gonadotropin: *see* Gonadotropins; Pregnancy
—— corticoids; corticosteroids: *see* Adrenal preps. & comp.

URINE (*cont'd.*)
—— creatinine: *see* Nitrogen
—— dehydroepiandrosterone: *see* Steroids, 17-KS; Androgens
—— diabetes insipidus: *see* Pituitary disorders
—— diuresis: *see* Kidney; Pituitary disorders (diabetes insip.); Pituitary preps. & comps. (ADH, vasopressin); Water
—— electrolytes: *see* Electrolytes
—— estradiol-4-C^{14}: *see* Estrogens
—— estrogens: *see also* Estrogens; Steroids
—— flow; effects of dessicc. thyroid, T_4 and T_3 on, 1384
—— follicle-stimulating hormone (FSH): *see* Gonadotropins
—— glucose: *see* Carbohydrate metab.; Diabetes mell.
—— gonadotropin: *see* Gonadotropins
—— HPG: *see* Gonadotropins
—— 17-hydroxycorticosteroids (17-OH-CS): *see* Adrenal preps. & comps.
—— hypercalciuria: *see* Calcium
—— in pregnancy: *see* Gonadotropins; Pregnanediol
—— indoluria in case of bronchial carcinoid with elevated serotonin levels, 298
—— interstitial-cell stimulating hormone (ICSH): *see* Gonadotropins
—— iodine compounds: *see* Iodine
—— 17-ketogenic steroids (17-KGS): *see* Adrenal preps. & comps.; Steroids
—— 17-ketosteroids (17-KS): *see* Steroids, 17-KS; and Adrenal preps. & comps.
—— 17-OH-CS: *see* Adrenal preps. & comps.
—— *methods* for determination of constituents: *see* Methods; Tests
—— nitrogen: *see* Nitrogen; Protein
—— phosphorus: *see* Phosphorus; Parathyroids
—— polyuria after operation for tumors in region of hypophysis and hypothalamus, 1614
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol; pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— pregnenetriol: *see* Pregnenetriol
—— radioactive compounds: *see* Radioactive; and Iodine, radioactive
—— rate of flow in response to admin'd water in primary myxedema; relation to Na and total solute; effect of thyroid; 409
—— renal function: *see* Kidney
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Adrenal preps. & comps.; Androgens; Estrogens; Pregnanediol and -triol; Steroids
—— sugar: *see* Carbohydrate metab.; Diabetes mell.
—— THF, ATHF and THE: *see* Adrenal preps. & comps.
—— triiodothyronine-I^{131} in, after admin. to patients with Graves' dis., 68
—— urinary metabolites of 4-C^{14}-progesterone, 1568
—— water and electrolyte excretion and renal function in pregnancy; effect of ADH, 581
UTAH UNIVERSITY College of Medicine; Training Program for Steroid Biochemistry, 336
UTERUS AND VAGINA: *see also* Menstruation; Ovary; Pregnancy
—— fetus: *see* Pregnancy
—— menstruation: *see* Menstruation; Ovary
—— placenta; *see* Pregnancy
—— pregnancy: *see* Pregnancy
—— uterine response curve (rat) to HCG, 1225
—— uterine response curve (rat) to HPG, HCG and HPG+HCG, 1411
—— uterine response to LH *vs.* HPG, 1059
—— vaginal epithelium of ovariect'd mouse; effect of 17-ethynyl-19-nortestosterone on mitoses in, 529
—— vaginal smears: *see also* Estrogens; Menstruation; Ovary

UTERUS AND VAGINA (*cont'd.*)

VAGINA: *see* Uterus and Vagina
VAN METER PRIZE: *see* American Goiter Association
VASCULAR SYSTEM: *see also* Blood; Heart
—— biopsy (renal) in primary mineralocort. excess with hypertension; autopsy, 1158
—— blood pressure and pulse; early effects of desicc. thyroid, T_4 and T_3 on, 1384
—— cardiovascular changes during acute CNS arousal, 1333
—— hypertension developing in case of metastatic I-C tumor of testis with gynecomastia, 1622
—— hypertension, essential; aldosterone excretion in, 1351
—— hypertension; excretion of pregnanetriol and pregnenetriol in, 1503
—— hypertension; renal clearance of endogenous 17-OH-CS and creatinine in, 1445
—— hypertensive adrenal hyperplasia; urinary steroids in, 929
—— vasoconstrictor action of topical norepinephrine on bulbar conjunctiva; potentiation of by certain topical AC hormones, 446
VASOCONSTRICTION: *see* Vascular system
VASOPRESSIN: *see* Pituitary preps. & comps., (ADH, Pitressin)
VIRILIZATION: *see also* Adrenal disorders; Androgens; Hair; Ovary; Testis
—— adrenal virilism; corticosteroid excretion patterns in; 17-KS; effect of ACTH, 735, 751
—— assoc'd with adrenal disease: *see also* Adrenal disorders; Cushing's syn.
—— hypertensive and simple virilizing ad. hyperplasia; urinary steroids in, 929
—— in women treated with 17α-methyl-19-nortestosterone, 842
—— suppression of virilization by conc. hydrocortisone acetate in CAH, 862
VITAMIN-D resistant rickets; serum inorg. phosphorus in, 364

WASHES: *see also* Methods
—— number of; effect on I^{131}-T_3 tagging of RBC, 1366
—— variations in (including temp.) effect on det'n of RBC uptake of T_3, 480
WASTING diseases; adrenal function in, 675

WATER: *see also* Kidney; Urine
—— and electrolyte excretion; effect of ADH on in pregnancy, 581
—— antidiuretic hormone: *see* Pituitary preps. & comps.
—— diabetes insipidus: *see* Pituitary disorders
—— diuretic response to, in primary myxedema; effect of thyroid; relation to Na and total solute, 409
—— edema, prominent, in primary aldosteronism; renal function tests, 1168
—— excretion in hypoadrenotropism, 1017
—— polyuria: *see* Urine
—— retention of fluid in women treated with 17α-methyl-19-nortestosterone, 842
—— water test in case of selective hypopituitarism, 1269
WEAKNESS; main symptom in ACTH tests, 593
WHALE growth hormone: *see* Pituitary preps. & comps., growth hormone
WHALE growth hormone (*cont'd.*)
WISCONSIN, University of, Medical School; cosponsor with the Endocrine Society of Postgrad. Assembly in Endocrinology: *see* Endocrine Society
WORCESTER FOUNDATION FOR EXPERIMENTAL BIOLOGY
—— Training Program for Steroid Biochemistry, 336
—— Training Program in Physiology of Reproduction, 1308

X-RAYS: *see* Roentgen

ZINC-ACTH: *see* Pituitary preps. & comps., ACTH